

Jewhay Xig

Operated for the U.S. Department of Energy by Sandia Corporation

> Carlsbad Programs Group 4100 National Parks Highway Carlsbad, NM 88220

date: October 26, 2006

to: Larry Brush
Repository Performance Dept. 6712 (MS 1395)
Carlsbad Programs Group

from: Yongliang Xiong
Repository Performance Dept. 6712 (MS 1395)
Carlsbad Programs Group

subject: Incorporation of Amorphous Calcium Carbonate into the EQ3/6 HMY Database and Its Modified Version HML

The objective of this memorandum is to document the release of a modified EQ3/6 database to support the analysis of the effects of the consumption of carbon dioxide (CO₂) by calcite (CaCO₃) precipitation on the excess factor calculated for the magnesium oxide (MgO) engineered barrier that the U.S Department of Energy is emplacing in the Waste Isolation Pilot Plant.

In particular, this database will be used to simulate the effects of precipitation of amorphous calcium carbonate (CaCO₃(am)) on the MgO excess factor. If the precipitation of calcite were inhibited, metastable CaCO₃ polymorphs or hydrates such as aragonite (CaCO₃), vaterite (CaCO₃), CaCO₃ monohydrate (CaCO₃•H₂O), ikaite (CaCO₃•6H₂O), and CaCO₃(am) would precipitate instead of calcite; and the brines from which these phases precipitates would retain a higher dissolved Ca concentration than if thermodynamically stable calcite precipitates (e.g., Buchardt et al., 2001). For instance, the formation of CaCO₃(am) in nature has been observed (e.g., Aizenberg et al., 2002). CaCO₃(am) has the highest solubility product of any of the metastable CaCO₃ polymorphs or hydrates that we have identified so far. Therefore, use of the solubility product for CaCO₃(am) in simulations of CO₂ consumption by CaCO₃ precipitation will provide a conservative test of the effects of precipitation of these metastable phases.

In the previous, modified version of the EQ3/6 database (HMY) that supports the Pitzer activity-coefficient option, earlandite ($Ca_3(C_6H_5O_7)_2 \cdot 4H_2O$), whewellite ($CaC_2O_4 \cdot H_2O$), and aqueous citrate and oxalate species were incorporated (Xiong, 2006). That database, HMY, was modified from the previous EQ3/6 database (HMP) (Xiong, 2004). In turn, the HMY database will be modified to incorporate $CaCO_3(am)$.

1 INCORPORATION OF CaCO₃(am) INTO EQ3/6 HMY

There are two recent, independent studies on the solubility product constants of the CaCO₃(am) (Brečević and Nielsen, 1989; Clarkson et al., 1992). The solubility reaction for CaCO₃(am) can be cast as follows:

$$CaCO_3(am) = Ca^{2+} + CO_3^{2-}$$
 (1)

In the study of Brečević and Nielsen (1989), a measured volume of CaCl₂ solution was placed in a 200 mL reaction vessel. Then, a measured volume of a concentrated Na₂CO₃ solution was added to the vessel, resulting in a total volume of 50 mL. Therefore, their experiments were carried out from the direction of supersaturation. By using the Davies equation, they obtained the following equation for the temperature dependence of the solubility product at infinite dilution in the temperature range from 10 to 55 °C for Reaction 1:

$$-\log K_{sp} = 6.1987 + 5.336 \times 10^{-3} t + 1.096 \times 10^{-4} t^{2}, \tag{2}$$

in which t is temperature in Celsius. According to Eq. 2, $\log K_{sp}$ at 25 °C is calculated to be -6.401.

In the study of Clarkson et al. (1992), precipitation was induced by adding a certain volume of Na_2CO_3 to a solution of $CaCl_2$ in a sealed Pyrex cell. In their undersaturation experiments, $CaCO_3$ (am) was prepared by mixing a cold, concentrated Na_2CO_3 solution and a $CaCl_2$ solution, which produced a gel. Then, the solid was dispersed in a solution containing various concentrations of Na_2CO_3 and NaCl. In their calculations of activity coefficients, the Davies equation was also used. Their equation for the temperature dependence of log K_{sp} from 16 to 60 °C is:

$$\log K_{sp} = 1247.0/T - 10.224,$$
 (3)

in which T is the temperature in Kelvins. According to Eq. 3, the log K_{sp} at 25 $^{\circ}C$ (298.15 K) is calculated to be -6.042.

In the critical review of Gal et al. (1996), the solubility product of Brečević and Nielsen (1989) was adopted. Hence, the log K_{sp} of Brečević and Nielsen (1989) was selected for use in the modified EQ3/6 database HML.

Based on the log K_{sp} of Brečević and Nielsen (1989), the free energy change for Reaction 1 is calculated according to the following equation:

$$\log K_{\rm sp} = -\Delta_r G^{\rm o}/(2.3026 \times R \times T), \tag{4}$$

in which R is the gas constant $(1.98719 \text{ cal mol}^{-1} \text{ K}^{-1})$, and T is absolute temperature (T = 298.15 K at 25 °C). The free energy change for Reaction 1 at 25 °C is listed in Table 1.

The free energy change for a chemical reaction is expressed in the following general equation:

Information Only

$$\Delta_r G = \sum_j \Delta_f G_{j,product} - \sum_i \Delta_f G_{i,reac}. \tag{5}$$

According to Eq. 5, and based on $\Delta_r G^o$ listed in Table 1 and $\Delta_f G^o$ for Ca^{2+} and CO_3^{2-} listed in Table 2, the free energy of formation for $\operatorname{CaCO}_3(\operatorname{am})$ is derived from Reaction 1 and listed in Table 2.

In the HMY database, the association reaction for CO_3^{2-} is given as:

$$CO_3^{2-} + H^+ = HCO_3^-,$$
 (6)

which has a log K of 10.3392 (Table 3). The combination of Reaction 1 with Reaction 6 yields the following dissolution reaction:

$$CaCO_3(am) + H^+ = Ca^{2+} + HCO_3^-$$
 (7)

The equilibrium constant for Reaction 7 is 3.938 (see Table 3), which is calculated as the difference between the equilibrium constants for Reactions 6 and 1 (10.3392 - 6.401). This value is used in the modified database.

2 HML DATABASE

Using the equilibrium constant listed in Table 3 to modify HMY, the HML database is formally established. This database has been successfully run by EQPT, an executable in the EQ3/6 geochemical software package (Wolery, 1992), and files "output.hml" (an formatted output file) and "data1f.hml" (a formatted data file) have been generated. File comparisons between "output.hml" and "output.hmy", and between "data1f.hml" and "data1f.hmy" indicate that the only differences between HML and HMY are those of entries of the above species. An electronic copy of this database will be placed on a floppy disk containing the "EQ3/6 HML Database" to be submitted along with this memo.

REFERENCES

- Aizenberg, J., G. Lambert, S. Weiner, L. Addadi, 2002. "Factors involved in the formation of amorphous and crystalline calcium carbonate: A study of an ascidian skeleton," *Journal of the American Chemical Society*. Vol. 124, 32-39.
- Brečević, L., A.E. Nielsen. 1989. "Solubility of Amorphous Calcium Carbonate," *Journal of Crystal Growth*. Vol. 98, 504-510.
- Buchardt, B., C. Israelson, P. Seaman, G. Stockmann, . 2001. "Ikaite tufa towers in Ikka Fjord, southwest Greenland: Their formation by mixing of seawater and alkaline spring water," *Journal of Sedimentary Research*. Vol. 71, 176-189.
- Clarkson, J.R., T.J. Price, C.J. Adams. 1992. "Role of Metastable Phases in the Spontaneous Precipitation of Calcium Carbonate," *Journal of Chemical Society Faraday Transactions*. Vol. 88, no. 2, 504-510.

- Gal, J.-Y., J.-C. Bollinger, H. Tolosa, N. Gache. 1996. "Calcium Carbonate Solubility: A Reappraisal of Scale Formation and Inhibition," *Talanta*. Vol. 43, 504-510.
- Wolery, T.J. 1992. EQ3/6, A Software Package for Geochemical Modeling of Aqueous Systems: Package Overview and Installation Guide (Version 7.0). UCRL-MA-110662 PT I. Livermore, CA: Lawrence Livermore National Laboratory.
- Xiong, Y.-L. 2004. "Incorporation of Six Solid Phases Including Hydromagnesite (5424) and Hydromagnesite (4323) into EQ3/6 HMW Database and Its Modified Version HMP." Memorandum to L.H. Brush, August 4, 2004. Carlsbad, NM: Sandia National Laboratories. ERMS 536321.
- Xiong, Y.-L. 2006. "Incorporation of Calcium Citrate Hydrate, Earlandite; Calcium Oxalate Monohydrate, Whewellite; and Aqueous Species of Citrate and Oxalate into the EQ3/6 HMP Database and Its Modified Version HMY." Memorandum to L.H. Brush, October 18, 2006. Carlsbad, NM: Sandia National Laboratories. ERMS 544529.

Table 1. The Free Energy Change at Reference Sate (298.15 K and 1 bar) Calculated in This Memorandum.

Reaction	$\Delta_r G^o$, cal mol ⁻¹	Reference
Reaction 1	8733	Calculated from log K_{sp} from Brečević and Nielsen (1989)

Table 2. Standard Free Energies of Formation for Ca²⁺, CO₃²⁻ and CaCO₃(am) at Reference State (298.15 K and 1 bar).

Species	Δ _j G ^o , cal mol ⁻¹	References
Ca ²⁺	-132,302	HMY database (Xiong, 2006)
CO ₃ ²⁻	-126,166	HMY database (Xiong, 2006)
CaCO ₃ (am)	-267,201	This memorandum

Table 3. Dissolution Constant of CaCO₃(am) at Reference Sate (298.15 K and 1 bar) Used in the Modified EQ3/6 Database.

Reaction	log K	References	
Reaction 6	10.3392	HMY database (Xiong, 2006)	
Reaction 7	3.938	This memorandum, based on log K _{sp} for Reaction 1 from Brečević and Nielsen (1989), and log K for Reaction 6 from HMY (Xiong, 2006)	

```
hmy_hml_1f.txt
Comparing files data1f.hmy and DATA1F.HML
***** data1f.hmy
data0.hmy.v8.R6
CII: GEMBOCHS.V2-EQ8-data0.hmp.V8.R6
THERMODYNAMIC DATABASE
***** DATA1F.HML
data0.hml.v8.R6
CII: GEMBOCHS.V2-EQ8-data0.hml.v8.R6
THERMODYNAMIC DATABASE
**** data1f.hmy
Output package: eq3
Data set: hmy
***** DATA1F.HML
Output package: eq3
Data set:
                     hmil
+-------
***** data1f.hmy
 9.999999000E+06 0.000000000E+00 0.000000000E+00 0.00000000E+00 0.00000000E+00
Calcite
         100.087
                             36.934
***** DATAIF.HML
 9.99999000E+06 0.000000000E+00 0.00000000E+00 0.00000000E+00 0.00000000E+00
CaCO3(am)
         100.087
                             36.934
***** datalf.hmy
     3.0000 o
-1.0000 Calcite
                                                    -1.0000 H+
**** DATAIF.HML
3.0000 0
-1.0000 CaC03(am)
1.0000 H+
1.0000 Ca++
1.0000 HC03-
3.938000000E+00 0.000000000E+00 0.000000000E+00 0.000000000E+00
9.999999000E+06 0.000000000E+00 0.000000000E+00 0.00000000E+00
Calcite
3 4
***** DATA1F.HML
Calcite
      3.0000
-1.0000 Calcite
                                                    -1.0000 H+
```

```
hmv_hml_out.txt
Comparing files output.hmy and OUTPUT.HML ***** output.hmy
 Run 09:53:06 180ct2006
***** OUTPUT.HML
 Run 16:51:44 260ct2006
****
***** output.hmy
 data0.hmy.V8.R6
CII: GEMBOCHS.V2-EQ8-data0.hmp.V8.R6
THERMODYNAMIC DATABASE
***** OUTPUT.HML
 data0.hml.v8.R6
 CII: GEMBOCHS.V2-EQ8-data0.hml.V8.R6
 THERMODYNAMIC DATABASE
***** output.hmy
 Output package:
                        eq3
 Data set:
***** OUTPUT HML
 Output package:
 Data set:
*****
***** output.hmy
13 CaCl2:4H2O
     14 Calcite
     15 Carnallite
     16 Chloromagnesite
     17 Dolomite
     18 Earlandite
     19 Epsomite
     20 Gaylussite
     21 Glauberite
     22 Gypsum
23 Halite
     24 Hexahydrite
     24 Hexanydrite
25 Hydromagne5424
26 Hydromagne4323
27 K2CO3:1.5H2O
28 K3H(SO4)2
29 K8H4(CO3)6:3H2O
30 KNaCO3:6H2O
     31 Kainite
     32 Kalicinite
     33 Kieserite
     34 Leonite
     35 Lime
     36 Magnesite
37 Mercallite
     38 Mirabilite
     39 Misenite
     40 Na2CO3:7H2O
     41 Na3H(SO4)2
     42 Na4Ca(SO4)3:2H2O
     43 Nahcolite
     44 Natron
     45 Nesquehonite
     46 Oxychloride-Mg
47 Periclase
     48 Picromerite
     49 Pirssonite
     50 Polyhalite
51 Portlandite
52 Sylvite
     53 Syngenite
     54 Tachyhydrite
55 Thenardite
     56 Thermonatrite
57 Trona
```

```
hmy_hml_out.txt
     58 Trona-K
     59 Whewellite
***** OUTPUT.HML
    13 Cacl2:4H20
    14 CaCO3(am)
15 Calcite
    16 Carnallite
17 Chloromagnesite
     18 Dolomite
     19 Earlandite
     20 Epsomite
    21 Gaylussite
22 Glauberite
23 Gypsum
24 Halite
     25 Hexahydrite
     26 Hydromagne5424
27 Hydromagne4323
     28 K2CO3:1.5H2O
     29 K3H(SO4)2
     30 к8н4(со3)6:3н2о
     31 KNaCO3:6H2O
     32 Kainite
33 Kalicinite
     34 Kieserite
35 Leonite
     36 Lime
37 Magnesite
     38 Mercallite
39 Mirabilite
     40 Misenite
     41 Na2CO3:7H2O
     42 Na3H(SO4)2
43 Na4Ca(SO4)3:2H2O
     44 Nahcolite
     45 Natron
     46 Nesquehonite
47 Oxychloride-Mg
     48 Periclase
     49 Picromerite
     50 Pirssonite
51 Polyhalite
52 Portlandite
53 Sylvite
     54 Syngenite
55 Tachyhydrite
     56 Thenardite
57 Thermonatrite
     58 Trona
59 Trona-K
     60 Whewellite
****
**** output.hmy
 Completed processing the pitzer data file dataO.hmy.v8.R6.
**** OUTPUT.HML
 Completed processing the pitzer data file data0.hml.v8.R6.
***
**** output.hmv
             run time = 0.400
                                          seconds
**** OUTPUT.HML
             Start time = 16:51:44
End time = 16:51:45
                                          260ct2006
                                          260ct2006
```

run time = 0.440

seconds

Page 2

hmy_hml_out.txt

Page 3