


Figure N-2  
 Spatial View of WIPP Repository and Permanent Marker System

Repository Footprint Perimeter Monument Configuration  
Figure V-1



NOTES:

1. MONUMENT TO BE HEWN FROM TWO SOLID PIECES OF GRANITE.
2. MESSAGE TO BE CARVED INTO STONE FACE AND GENERAL LOCATIONS AS SHOWN ON DRAWING. THE MESSAGE WILL APPEAR SEVEN TIMES ON THE MONUMENT, ONCE IN EACH LANGUAGE LISTED BELOW. THE MESSAGE WILL APPEAR AT THE TOP OF THE MONUMENT ON THREE FACES, LEAVING ONE BLANK FACE. IT WILL APPEAR ON FOUR SURFACES AT THE BOTTOM.
  - A. ENGLISH
  - B. SPANISH
  - C. RUSSIAN
  - D. FRENCH
  - E. CHINESE
  - F. ARABIC
  - G. NAWAJO
3. THE LEVEL I MESSAGE WILL BE IN 3" HIGH LETTERS WITH A 3" SPACE ABOVE AND A 3" SPACE BELOW.
4. THE LEVEL II MESSAGE WILL BE IN 1 1/2" HIGH LETTERS WITH A 1" SPACE BETWEEN LINES AND A 2" SPACE BELOW THE BOTTOM LINE OF THE MESSAGE.
5. THE LEVEL III MESSAGE WILL BE IN 1" HIGH LETTERS WITH A 3/8" SPACE BETWEEN THE LINES. THERE WILL BE A 1 1/2" SPACE BETWEEN THE PARAGRAPHS OF THE MESSAGE.
6. THE DIAGRAM INSCRIPTION WILL APPEAR ON THE BLANK FACE ON THE TOP OF THE MONUMENT. THE DIAGRAM DESCRIBES THE HAZARDS OF DIGGING HERE AND HOW LONG THAT HAZARD WILL EXIST.





DIAGRAM INSCRIPTION  
NOTE 6




MESSAGE INSCRIPTION

NOTE 3

NOTE 4

NOTE 5



MONUMENT FABRICATION






Figure V-2  
 Controlled Area Perimeter Monument Configuration



NOTES:

1. MONUMENT TO BE HEWN FROM TWO SOLID PIECES OF GRANITE.
2. MESSAGE TO BE CARVED INTO STONE FACE AND GENERAL LOCATIONS AS SHOWN ON DRAWING. THE MESSAGE WILL APPEAR SEVEN TIMES ON THE MONUMENT, ONCE IN EACH LANGUAGE LISTED BELOW. THE MESSAGE WILL APPEAR AT THE TOP OF THE MONUMENT ON THREE FACES, LEAVING ONE BLANK FACE. IT WILL APPEAR ON FOUR SURFACES AT THE BOTTOM.
  - A. ENGLISH
  - B. SPANISH
  - C. RUSSIAN
  - D. FRENCH
  - E. CHINESE
  - F. ARABIC
  - G. NAVAJO
3. THE LEVEL I MESSAGE WILL BE IN 3" HIGH LETTERS WITH A 3" SPACE ABOVE AND A 3" SPACE BELOW.
4. THE LEVEL II MESSAGE WILL BE IN 1 1/2" HIGH LETTERS WITH A 1" SPACE BETWEEN LINES AND A 2" SPACE BELOW THE BOTTOM LINE OF THE MESSAGE.
5. THE LEVEL III MESSAGE WILL BE IN 1" HIGH LETTERS WITH A 5/8" SPACE BETWEEN THE LINES. THERE WILL BE A 1 1/2" SPACE BETWEEN THE PARAGRAPHS OF THE MESSAGE.
6. THE DIAGRAM INSCRIPTION WILL APPEAR ON THE BLANK FACE ON THE TOP OF THE MONUMENT. THE DIAGRAM DESCRIBES THE LOCATION OF THE BERM AND THE LOCATION OF THE INFORMATION CENTER BY USING THE STARS.






DIAGRAM INSCRIPTION  
NOTE 6




MESSAGE INSCRIPTION


- NOTE 3
- NOTE 4
- NOTE 5



MONUMENT FABRICATION



**Figure V-3**  
**Small Buried Warning Marker**



**Figure V-4**  
**Controlled Area Map and Monuments**




Figure VI-1  
Storage Room






Figure VI-2  
Storage Room - Plan View



SIDE VIEW  
(NOT TO SCALE)

Figure VI-3  
Storage Room - Side View

Figure VI-4  
Storage Room - End View










Figure VII-2  
 Information Center Fabrication Details



**Figure VII-3**  
**Repository Footprint Permanent Marker Plan View**



**Figure VIII-1**  
**Berm Configuration**




Figure VIII-2  
 General Trihedral Arrangement




Figure VII-3  
Trihedral Configuration

Figure XI-1  
Berm Construction

