

**LIST OF FIGURES**

**PART A APPLICATION**

|    |      |  |
|----|------|--|
| 1  |      |  |
| 2  |      |  |
| 3  |      |  |
| 4  |      |  |
| 5  |      |  |
| 6  | 2-1  | General Location of the WIPP Facility  |
| 7  | 2-2  | Planimetric Map – WIPP Facility Boundaries                                   |
| 8  | 2-2a | Legend to Figure 2-2   |
| 9  | 2-3  | Topographic Map Designating WIPP Property Boundaries and Underground         |
| 10 |      | Facilities   |
| 11 | 3-1  | Spatial View of the WIPP Facility  |
| 12 | 3-2  | Repository Horizon   |
| 13 | 3-3  | Waste Handling Building – CH TRU Mixed Waste Container Storage and Surge     |
| 14 |      | Areas  |
| 15 | 3-3a | Waste Handling Building – RH TRU Mixed Waste Container Storage               |
| 16 | 3-4  | Parking Area – Container Storage and Surge Areas                             |
| 17 | 4-1  | Aerial Photograph of the Waste Isolation Pilot Plant with the Waste Handling |
| 18 |      | Building   |
| 19 | 4-2  | Underground Disposal Waste Room  |
| 20 | 4-3  | TRUDOCKs in CH Bay of the Waste Handling Building                            |
| 21 | 4-4  | CH TRU Waste Stored on Facility Pallets in the Waste Handling Building       |
| 22 | 4-5  | Westward View of CH Bay of the Waste Handling Building                       |
| 23 | 4-6  | Loading Facility Pallet with CH Waste onto the Waste Shaft Conveyance –Waste |
| 24 |      | Handling Building  |
| 25 | 4-7  | RH Bay   |
| 26 | 4-8  | Cask Unloading Room and Bridge Crane   |
| 27 | 4-9  | Hot Cell   |
| 28 | 4-10 | Transfer Cell  |
| 29 | 4-11 | Facility Cask and Facility Cask Rotating Device                              |
| 30 | A    | Demographic Figure A: 2007 CY - Mines and Inhabited Ranches within a 10-     |
| 31 |      | mile Radius of the WIPP Facility   |
| 32 | B    | Demographic Figure B: 2007 CY - Maximum Yearly Cattle Density within a 50-   |
| 33 |      | mile Radius of the WIPP Facility   |
| 34 | C    | Demographic Figure C: 2007 CY - Natural Gas Pipelines within a 5-mile Radius |
| 35 |      | of the WIPP Facility   |
| 36 | D    | Demographic Figure D: 2000 CY – Population within a 50-mile Radius of the    |
| 37 |      | WIPP Facility  |
| 38 | E    | Demographic Figure E: 2007 CY – Acres Planted in Edible Agriculture and      |
| 39 |      | Commercial Crops within a 50-mile Radius of the WIPP Facility                |
| 40 |      |  |
| 41 |      |  |
| 42 |      |  |

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41

**CHAPTER B**  
**WASTE ANALYSIS PLAN**

- B-1 Waste Characterization Process  
B-2 WIPP Waste Stream Profile Form (Example Only)  
B-3 TRU Mixed Waste Screening and Verification Flow Diagram

**APPENDIX B1**  
**WASTE CHARACTERIZATION SAMPLING METHODS**

- B1-1 Headspace Gas Drum Age Criteria Sampling Scenario Selection Process  
B1-2 Headspace Sampling Manifold  
B1-3 SUMMA<sup>®</sup> Canister Components Configuration (Not to Scale)  
B1-4 Schematic Diagram of Direct Canister with the Poly Bag Sampling Head  
B1-5 Rotational Coring Tool (Light Weight Auger)  
B1-6 Non-Rotational Coring Tool (Thin Walled Sampler)

**APPENDIX B2**  
**STATISTICAL METHODS USED IN SAMPLING AND ANALYSIS**

- B2-1 Approach for Solid and Headspace Gas Sampling and Analysis to Obtain Additional Waste Characterization Information

**APPENDIX B4**  
**TRU MIXED WASTE CHARACTERIZATION USING**  
**ACCEPTABLE KNOWLEDGE**

- B4-1 Compilation of Acceptable Knowledge Documentation  
B4-2 Acceptable Knowledge Auditing

**ADDENDUM B1**  
**TOTALS ANALYSIS VERSUS TOXICITY CHARACTERISTIC LEACHING**  
**PROCEDURE**

- B1-1 Comparison of TCLP and Totals Analyses for 100 mg/kg Lead Sample

**CHAPTER D**  
**INSPECTION SCHEDULE, PROCESS AND FORMS**

- D-1 Typical Inspection Checklist

1 D-2 Typical Logbook Entry  
2  
3

4 **CHAPTER F**  
5 **RCRA CONTINGENCY PLAN**  
6

7 F-1 WIPP Facility Surface Structures  
8 F-1a Legend to Figure F-1  
9 F-2 Spatial View of the WIPP Facility  
10 F-3 WIPP Underground Facilities  
11 F-4 Direction and Control Under Emergency Conditions in Which the Plan Has Been  
12 Implemented  
13 F-4a WIPP Facility Emergency Notifications  
14 F-5 WIPP Hazardous Materials Incident Report (Example)  
15 F-6 Waste Handling Building Pre-Fire Survey (First Floor)  
16 F-6a Waste Handling Building Pre-Fire Survey (First Floor - Fire Hydrant/Post  
17 Indicator Location)  
18 F-7 Waste Handling Building Pre-Fire Survey (Second Floor)  
19 F-7a Waste Handling Building Pre-Fire Survey (Second Floor - Fire Hydrant/Post  
20 Indicator Location)  
21 F-8 Underground Emergency Equipment Locations and Underground Evacuation  
22 Routes  
23 F-9 Fire-Water Distribution System  
24 F-10 Underground Diesel Fuel-Station Area Fire-Protection System  
25 F-11 WIPP Facility On-Site Assembly Areas and Staging Areas  
26 F-11a RH Bay Evacuation Routes  
27 F-11b RH Bay Hot Cell Evacuation Route  
28 F-11c Evacuation Routes in the Waste Handling Building  
29 F-12 Designated Underground Assembly Areas  
30  
31

32 **CHAPTER G**  
33 **TRAFFIC PATTERNS**

33 G-1 General Location of the WIPP Facility  
34 G-2 Typical WIPP Facility Traffic Flow Diagram  
35 G-3 Typical Waste Transport Routes in Waste Handling Building - Container Storage  
36 Unit  
37 G-4 RH Bay Waste Transport Routes  
38 G-5 RH Bay Cask Loading Room Waste Transport Route  
39 G-6 RH Bay Canister Transfer Cell Waste Transport Route  
40 G-7 Typical Underground Transport Route  
41

1  
2  
3  
4  
5  
6  
7  
8  
9

**CHAPTER I  
CLOSURE PLAN**

- I-1 Location of Underground HWDUs and Anticipated Closure Locations
- I-2 WIPP Panel Closure Schedule
- I-3 WIPP Facility Final Closure Schedule
- I-4 Approximate Locations of Boreholes in Relation to the WIPP Underground

**APPENDIX I1  
DETAILED DESIGN REPORT FOR AN OPERATION  
PHASE PANEL CLOSURE SYSTEM**

- I1-1 Typical Facilities—Typical Disposal Panel
- I1-2 Main Barrier with Wall Combinations
- I1-3 Design Process for the Panel-Closure System
- I1-4 Concrete Barrier with DRZ Removal
- I1-5 Explosion-Isolation Wall
- I1-6 Grouting Details

**APPENDIX I1G  
TECHNICAL SPECIFICATIONS  
PANEL CLOSURE SYSTEM**

- I1G-1 Plan Variations
- I1G-2 Waste Handling Shaft Cage Dimensions
- I1G-3 Waste Shaft Collar and Airlock Arrangement

10  
11  
12  
13  
14  
15  
16  
17  
  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34

**APPENDIX I1H  
DESIGN DRAWINGS  
PANEL CLOSURE SYSTEM  
WASTE ISOLATION PILOT PLANT  
CARLSBAD, NM**

- 762447-E1 Panel closure system, air intake and exhaust drifts, title sheet
- 762447-E2 Panel closure system, underground waste-emplacement
- 762447-E3 Panel closure system, air intake drift, construction details
- 762447-E4 Panel closure system, air exhaust drift, construction details
- 762447-E5 Panel closure system, construction and explosion walls, construction details
- 762447-E6 Panel closure system, air intake and exhaust drifts, grouting and miscellaneous details

1  
2

**APPENDIX I2**  
**WASTE ISOLATION PILOT PLANT**  
**SHAFT SEALING SYSTEM COMPLIANCE SUBMITTAL DESIGN REPORT**

|    |      |   |
|----|------|---|
| 3  | I2-1 | View of the WIPP Underground Facility                                       |
| 4  | I2-2 | Arrangement of the Air Intake Shaft Sealing System                          |
| 5  | I2-3 | Multi-deck Stage Illustrating Dynamic Compaction                            |
| 6  | I2-4 | Multi-deck Stage Illustrating Excavation for Asphalt Waterstop              |
| 7  | I2-5 | Drop Pattern for 6-m-diameter Shaft Using a 1.2-m-diameter Tamper           |
| 8  | I2-6 | Plan and Section Views of Downward Spin Pattern of Grout Holes              |
| 9  | I2-7 | Plan and Section Views of Upward Spin Pattern of Grout Holes                |
| 10 | I2-8 | Example of Calculation of an Effective Salt Column Permeability from the    |
| 11 |      | Depth-Dependent Permeability at a Point in Time                             |
| 12 | I2-9 | Effective Permeability of the Compacted Salt Column Using the 95% Certainty |
| 13 |      | Line  |

14  
15

**APPENDIX I2A**  
**MATERIAL SPECIFICATION**  
**SHAFT SEALING SYSTEM**  
**COMPLIANCE SUBMITTAL DESIGN REPORT**

|    |       |   |
|----|-------|---|
| 21 | I2A-1 | Schematic of the WIPP Facility Shaft Seal Design                              |
| 22 | I2A-2 | Cumulative Distribution Function for SMC                                      |
| 23 | I2A-3 | Sodium Bentonite Permeability Versus Density                                  |
| 24 | I2A-4 | Cumulative Frequency Distribution for Compacted Bentonite                     |
| 25 | I2A-5 | Asphalt Permeability Cumulative Frequency Distribution Function               |
| 26 | I2A-6 | Fractional Density of the Consolidating Salt Column                           |
| 27 | I2A-7 | Permeability of Consolidated Crushed Salt as a Function of Fractional Density |
| 28 | I2A-8 | Compacted Salt Column Permeability Cumulative Frequency Distribution          |
| 29 |       | Function at Seal Midpoint 100 Years Following Closure                         |

30  
31

**APPENDIX I2B**  
**SHAFT SEALING CONSTRUCTION PROCEDURES**  
**SHAFT SEALING SYSTEM**  
**COMPLIANCE SUBMITTAL DESIGN REPORT**

32  
33

|    |       |   |
|----|-------|---|
| 37 | I2B-1 | Multi-deck Stage Illustrating Dynamic Compaction                  |
| 38 | I2B-2 | Multi-deck Stage Illustrating Excavation for Asphalt Waterstop    |
| 39 | I2B-3 | Typical Fibercrete at Top of Asphalt                              |
| 40 | I2B-4 | Drop Pattern for 6-m-diameter Shaft Using a 1.2-m-diameter Tamper |

- 1 I2B-5 Plan and Section Views of Downward Spin Pattern of Grout Holes
- 2 I2B-6 Plan and Section Views of Upward Spin Pattern of Grout Holes

3  
4

### **APPENDIX J1**

#### **ACTIVE INSTITUTIONAL CONTROLS DURING POST-CLOSURE**

5  
6

- 8 J1-1 Spatial View of WIPP Surface and Underground Facilities
- 9 J1-2 Standard Waste Box and Seven-Pack Configuration
- 10 J1-3 Typical Shaft Sealing System
- 11 J1-4 Perimeter Fenceline and Roadway

12  
13

### **CHAPTER L**

#### **WIPP GROUNDWATER DETECTION MONITORING PROGRAM PLAN**

14  
15

- 17 L-1 General Location of the WIPP Facility
- 18 L-2 WIPP Facility Boundaries Showing 16-Square-Mile Land Withdrawal Boundary
- 19 L-3 Site Geologic Column
- 20 L-4 Generalized Stratigraphic Cross Section above Bell Canyon Formation at the  
21 WIPP Site
- 22 L-5 Schematic North-South Cross Section Through the North Delaware Basin
- 23 L-6 Culebra Freshwater-Head Contour Surface
- 24 L-7 Groundwater Level Surveillance Wells
- 25 L-8 WQSP Monitor Well Locations
- 26 L-9 As-Built Configuration of Well WQSP-1
- 27 L-10 As-Built Configuration of Well WQSP-2
- 28 L-11 As-Built Configuration of Well WQSP-3
- 29 L-12 As-Built Configuration of Well WQSP-4
- 30 L-13 As-Built Configuration of Well WQSP-5
- 31 L-14 As-Built Configuration of Well WQSP-6
- 32 L-15 As-Built Configuration of Well WQSP-6A
- 33 L-16 Example Request for Analysis
- 34 L-17 Example Chain-of-Custody Record

35  
36

### **ADDENDUM L1**

#### **SITE CHARACTERIZATION**

37  
38

- 40 L1-1 WIPP Site Location in Southeastern New Mexico
- 41 L1-2 Major Geologic Events in Southeast New Mexico Region
- 42 L1-3 Site Geological Column
- 43 L1-4 Cross Section from Delaware Basin (S.E.) Through Marginal Reef Rocks to  
44 Back-Reef Facies
- 45 L1-5 Generalized Stratigraphic Cross-Section above Bell Canyon at WIPP Site

|    |       |   |
|----|-------|---|
| 1  | L1-6  | Salado Stratigraphy   |
| 2  | L1-7  | Rustler Stratigraphy  |
| 3  | L1-8  | Halite Margins for the Rustler Formation Members  |
| 4  | L1-9  | Isopach Map of the Entire Rustler   |
| 5  | L1-10 | Percentage of Natural Fractures in the Culebra Filled with Gypsum   |
| 6  | L1-11 | Log Character of the Rustler Showing Mudstone-Halite Lateral Relationships  |
| 7  | L1-12 | Isopach of the Dewey Lake   |
| 8  | L1-13 | Isopach of the Santa Rosa   |
| 9  | L1-14 | Physiographic Provinces and Sections  |
| 10 | L1-15 | Site Topographic Map  |
| 11 | L1-16 | Structural Provinces of the Permian Basin Region  |
| 12 | L1-17 | Loading and Unloading History Estimated for Base of Culebra   |
| 13 | L1-18 | Location of Main Stratigraphic Drillholes   |
| 14 | L1-19 | Seismic Time Structure of the Middle Castile Formation  |
| 15 | L1-20 | Fence Diagram Using DOE-2 and Adjacent Holes  |
| 16 | L1-21 | Isopach from the Top of the Vaca Triste to the Top of the Salado  |
| 17 | L1-22 | Isopach from the Base of MB 103 to the Top of the Salado  |
| 18 | L1-23 | Isopach from the Base of MB 123/124 to the Base of the Vaca Triste  |
| 19 | L1-24 | Structure Contour Map of Culebra Dolomite Base  |
| 20 | L1-25 | Drainage Pattern in the Vicinity of the WIPP Facility   |
| 21 | L1-26 | Borehole Location Map   |
| 22 | L1-27 | Schematic West-East Cross-Section through the Northern Delaware Basin   |
| 23 | L1-28 | Schematic North-South Cross-Section through the Northern Delaware Basin   |
| 24 | L1-29 | Outline of the Groundwater Basin Model Domain on a Topographic Map  |
| 25 | L1-30 | Transmissivities of the Culebra   |
| 26 | L1-31 | Hydraulic Heads in the Culebra  |
| 27 | L1-32 | Hydraulic Heads in the Magenta  |
| 28 | L1-33 | Interpreted Water Table Surface   |
| 29 | L1-34 | Location of Shallow Investigative Wells   |
| 30 | L1-35 | WIPP Shallow Subsurface Water   |
| 31 | L1-36 | Brine Aquifer in the Nash Draw  |
| 32 | L1-37 | Measured Water Levels and Estimated Freshwater Heads of the Los Medaños<br>Member and Rustler-Salado Contact Zone |
| 34 | L1-38 | Location of Reservoirs and Gauging Stations in the Pecos River Basin  |
| 35 | L1-39 | Active Mines in Inhabited Ranches in a 10-mile Radius of the WIPP Facility  |
| 36 | L1-40 | Population within a 50-mile Radius of the WIPP Facility   |
| 37 | L1-41 | Acres Planted in Edible Agriculture and Commercial Crops within a 50-mile<br>Radius of the WIPP Facility          |
| 39 | L1-42 | Maximum Yearly Cattle Density within a 50-mile Radius of the WIPP Facility  |
| 40 | L1-43 | Natural Gas Pipelines within a 5-mile Radius of the WIPP Facility   |
| 41 | L1-44 | Mariah Study Archaeological Sites   |
| 42 | L1-45 | Seismic Activity within a 150-miles of the WIPP Facility  |

## APPENDIX M1 CONTAINER STORAGE

|        |   |
|--------|---|
| M1-1   | Waste Handling Building - CH TRU Mixed Waste Container Storage and Surge Areas                |
| M1-2   | Parking Area - Container Storage and Surge Areas  |
| M1-3   | Standard 55-Gallon Drum (Typical)   |
| M1-4   | Standard Waste Box  |
| M1-5   | Ten-Drum Overpack   |
| M1-6   | 85-Gallon Drum  |
| M1-7   | RH-TRU 72-B Canister Assembly   |
| M1-8   | Waste Handling Building Plan (Ground Floor)   |
| M1-9   | RH Bay Ground Floor   |
| M1-10a | RH Bay, Cask Unloading Room, Hot Cell, Facility Cask Loading Room                             |
| M1-10b | RH Hot Cell Storage Area  |
| M1-10c | RH Canister Transfer Cell Storage Area  |
| M1-10d | RH Facility Cask Loading Room Storage Area  |
| M1-11a | TRUPACT-II Shipping Container for CH TRU Mixed Waste (Schematic)                              |
| M1-11b | Typical HalfPACT Shipping Container for CH TRU Mixed Waste (Schematic)                        |
| M1-12  | Facility Pallet for Seven-Pack of Drums   |
| M1-13  | Facility Transfer Vehicle, Facility Pallet, and Typical Pallet Stand                          |
| M1-14  | RH-TRU 72-B Shipping Cask on Trailer  |
| M1-15  | CNS 10-160B Shipping Cask on Trailer  |
| M1-16  | RH-TRU 72-B Shipping Cask for RH TRU Waste (Schematic)  |
| M1-17  | CNS 10-160B Shipping Cask for RH TRU Waste (Schematic)  |
| M1-18  | RH TRU Waste Facility Cask  |
| M1-19  | RH Shielded Insert Assembly   |
| M1-20  | CNS 10-160B Drum Basket   |
| M1-21a | RH-TRU 72-B Cask Transfer Car   |
| M1-21b | CNS 10-160B Cask Transfer Car   |
| M1-22  | Facility Canister Assembly  |
| M1-23  | RH Facility Cask Transfer Car (Side View)   |
| M1-24  | Transfer Cell Shuttle Car   |
| M1-25  | Facility Cask Rotating Device   |
| M1-26  | TRUPACT-II Containers on Trailer  |
| M1-27  | WIPP Facility Surface and Underground CH TRU Mixed Waste Process Flow Diagram                 |
| M1-28  | Surface and Underground RH TRU Mixed Waste Process Flow Diagram for RH-TRU 72-B Shipping Cask |
| M1-29  | Surface and Underground RH TRU Mixed Waste Process Flow Diagram for CNS 10-160B Shipping Cask |
| M1-30  | Schematic of the RH TRU Mixed Waste Process for RH-TRU 72-B Shipping Cask                     |
| M1-31  | Schematic of the RH TRU Mixed Waste Process For CNS 10-160B Shipping Cask                     |

## **APPENDIX M2 GEOLOGIC REPOSITORY**

|       |  |
|-------|--|
| M2-1  | Disposal Horizon   |
| M2-2  | Spatial View of the Miscellaneous Unit and Waste Handling Facility                               |
| M2-3  | Facility Pallet for Seven-Pack of Drums  |
| M2-4  | Typical Backfill Sacks Emplaced on Drum Stacks   |
| M2-5  | MgO on a Backfill Rack in the Underground  |
| M2-6  | Waste Transfer Cage to Transporter   |
| M2-7  | Example of a Push-Pull Attachment to Forklift to Allow Handling of CH TRU Mixed Waste Containers |
| M2-8  | Typical RH and CH TRU Mixed Waste Container Disposal Configuration                               |
| M2-9  | Main Underground Ventilation System Airflow  |
| M2-10 | Typical Room Barricade   |
| M2-11 | Facility Cask Transfer Car (Side View)   |
| M2-12 | Horizontal Emplacement and Retrieval Equipment   |
| M2-13 | RH TRU Waste Facility Cask Unloading from Waste Shaft Conveyance                                 |
| M2-14 | Facility Cask Installed on the Horizontal Emplacement and Retrieval Equipment                    |
| M2-15 | Installing Shield Plug   |
| M2-16 | Shield Plug Supplemental Shielding Plate(s)  |
| M2-17 | Shield Plug Configuration  |
| M2-18 | Shielding Layers to Supplement RH Borehole Shield Plugs  |
| M2-19 | WIPP Facility Surface and Underground CH TRU Mixed Waste Process Flow Diagram                    |
| M2-20 | Layout and Instrumentation   |

## **CHAPTER N VOLATILE ORGANIC COMPOUND MONITORING PLAN**

|     |                              |
|-----|------------------------------|
| N-1 | Panel Area Flow              |
| N-2 | Disposal Room VOC Monitoring |
| N-3 | VOC Sample Head Arrangement  |
| N-4 | VOC Monitoring System Design |

## **APPENDIX N1 HYDROGEN AND METHANE MONITORING PLAN**

|      |   |
|------|---|
| N1-1 | Typical Substantial Barrier and Bulkhead        |
| N1-2 | Typical Bulkhead                                |
| N1-3 | Typical Hydrogen and Methane Monitoring System  |
| N1-4 | Typical Hydrogen and Methane Sampling Locations |
| N1-5 | Logic Diagram for Evaluating Sample Line Loss   |

**ADDENDUM N1**  
**300-YEAR PERFORMANCE DEMONSTRATION RE-EVALUATION**

- 1 Predicted Change in Repository Pressure Following Closure for the PABC and Original Performance Demonstrations
- 2 Predicted Cumulative Miles of Gas Generated Per Drum of Waste for the PABC and Original Performance Demonstrations
- 3 Predicted Cumulative Brine Inflow into a Closed Waste Panel for the PABC and Original Performance Demonstrations
- 4 Predicted Change in Panel Pore Volume Due to Creep Closure for the PABC and Original Performance Demonstrations
- 5 Predicted Average Brine Saturation in the Panel for the PABC and Original Performance Demonstrations