

**LIST OF FIGURES
PART A APPLICATION**

2-1	General Location of the WIPP Facility
2-2	Planimetric Map – WIPP Facility Boundaries
2-2a	Legend to Figure 2-2
3-1	Spatial View of the WIPP Facility
3-2	Repository Horizon
3-3	Waste Handling Building
3-3a	Waste Handling Building – CH TRU Mixed Waste Container Storage and Surge Areas
3-3b	Waste Handling Building – RH TRU Mixed Waste Container Storage
3-3c	Waste Handling Building – RH Storage, Hot Cell Storage Area (above grade)
3-3d	Waste Handling Building – RH Canister Transfer Cell Storage Area (below grade)
3-4	Parking Area – Container Storage and Surge Areas
A	Demographic A: 2007 CY – Active Mines and Inhabited Ranches within a 10-Mile Radius of the WIPP Facility
B	Demographic B: 2007 CY - Maximum Yearly Cattle Density within a 50-Mile Radius of the WIPP Facility
C	Demographic C: 2007 CY - Natural Gas Pipelines within a 5-Mile Radius of the WIPP Facility
D	Demographic D: 2000 CY – Population within a 50-Mile Radius of the WIPP Facility
E	Demographic E: 2007 CY – Acres Planted in Edible Agriculture and Commercial Crops within a 50-Mile Radius of the WIPP Facility
F	Demographic F: Major Parks and Recreational Areas in Lea and Eddy Counties

**CHAPTER B
WASTE ANALYSIS PLAN**

B-1	WIPP Waste Stream Profile Form
B-2	Waste Characterization Process
B-3	TRU Mixed Waste Screening and Verification

**APPENDIX B1
WASTE CHARACTERIZATION SAMPLING METHODS**

B1-1	Headspace Gas Drum Age Criteria Sampling Scenario Selection Process
B1-2	Headspace Sampling Manifold
B1-3	SUMMA® Canister Components Configuration (Not to Scale)
B1-4	Schematic Diagram of Direct Canister with the Poly Bag Sampling Head
B1-5	Rotational Coring Tool (Light Weight Auger)

B1-6 Non-Rotational Coring Tool (Thin Walled Sampler)

**APPENDIX B2
STATISTICAL METHODS USED IN SAMPLING AND ANALYSIS**

B2-1 Approach for Solid and Headspace Gas Sampling and Analysis to Obtain
Additional Waste Characterization Information

**APPENDIX B3
QUALITY ASSURANCE OBJECTIVES AND DATA VALIDATION TECHNIQUES
FOR WASTE CHARACTERIZATION SAMPLING AND ANALYTICAL METHODS**

B3-1 Overall Headspace-Gas Sampling Scheme Illustrating Manifold Sampling

**APPENDIX B4
TRU MIXED WASTE CHARACTERIZATION
USING ACCEPTABLE KNOWLEDGE**

B4-1 Compilation of Acceptable Knowledge Documentation
B4-2 Acceptable Knowledge Auditing

**APPENDIX B7
PERMITTEE LEVEL TRU WASTE CONFIRMATION PROCESSES**

B7-1 Overview of Waste Confirmation

**CHAPTER D
INSPECTION SCHEDULE, PROCESS AND FORMS**

D-1 Typical Inspection Checklist
D-2 Typical Logbook Entry

**CHAPTER F
RCRA CONTINGENCY PLAN**

F-1 WIPP Surface Structures
F-1a Legend to Figure F-1
F-2 Spatial View of the WIPP Facility
F-3 WIPP Underground Facilities
F-4 Direction and Control Under Emergency Conditions in Which the Plan Has Been
Implemented

F-4a	WIPP Facility Emergency Notifications
F-5	Underground Emergency Equipment Locations and Underground Evacuation Routes
F-6	Fire-Water Distribution System
F-7	Underground Diesel Fuel-Station Area Fire-Protection System
F-8	WIPP On-Site Assembly Areas and WIPP Staging Areas
F-8a	RH Bay Evacuation Routes
F-8b	RH Bay Hot Cell Evacuation Route
F-8c	Evacuation Routes in the Waste Handling Building
F-9	Designated Underground Assembly Areas
F-10	Waste Handling Building Pre-Fire Survey (First Floor)
F-10a	Waste Handling Building Pre-Fire Survey (First Floor - Fire Hydrant/Post Indicator Location)
F-11	Waste Handling Building Pre-Fire Survey (Second Floor)
F-11a	Waste Handling Building Pre-Fire Survey (Second Floor - Fire Hydrant/Post Indicator Location)
F-12	WIPP Hazardous Materials Incident Report

CHAPTER G TRAFFIC PATTERNS

G-1	General Location of the WIPP Facility
G-2	WIPP Traffic Flow Diagram
G-3	Waste Transport Routes in Waste Handling Building - Container Storage Unit
G-4	Underground Transport Route
G-5	RH Bay Waste Transport Routes
G-6	RH Bay Cask Loading Room Waste Transport Route
G-7	RH Bay Canister Transfer Cell Waste Transport Route

CHAPTER H PERSONNEL TRAINING

H-1	Organizational Location of Training, Waste Handling, and Emergency Response Functions
-----	---

CHAPTER I CLOSURE PLAN

I-1	Location of Underground HWDUs and Anticipated Closure Locations
I-2	WIPP Panel Closure Schedule
I-3	WIPP Facility Final Closure Schedule
I-4	Design of a Panel Closure System

- I-5 Typical Disposal Panel
- I-6 Approximate Locations of Boreholes in Relation to the WIPP Underground

**APPENDIX I1
DETAILED DESIGN REPORT FOR AN OPERATION PHASE
PANEL CLOSURE SYSTEM**

- I1-1 Typical Facilities—Typical Disposal Panel
- I1-2 Main Barrier with Wall Combinations
- I1-3 Design Process for the Panel-Closure System
- I1-4 Design Classification of the Panel-Closure System
- I1-5 Concrete Barrier with DRZ Removal
- I1-6 Explosion-Isolation Wall
- I1-7 Grouting Details

**APPENDIX I1G
TECHNICAL SPECIFICATIONS PANEL CLOSURE SYSTEM**

- I1G-1 Plan Variations
- I1G-2 Waste Handling Shaft Cage Dimensions
- I1G-3 Waste Shaft Collar and Airlock Arrangement

**APPENDIX I2
WASTE ISOLATION PILOT PLANT
SHAFT SEALING SYSTEM COMPLIANCE SUBMITTAL DESIGN REPORT**

- I2-1 View of the WIPP underground facility
- I2-2 Location of the WIPP in the Delaware Basin
- I2-3 Chart showing major stratigraphic divisions, southeastern New Mexico
- I2-4 Generalized stratigraphy of the WIPP site showing repository level
- I2-5 Arrangement of the Air Intake Shaft sealing system
- I2-6 Multi-deck stage illustrating dynamic compaction
- I2-7 Multi-deck stage illustrating excavation for asphalt waterstop
- I2-8 Drop pattern for 6-m-diameter shaft using a 1.2-m-diameter tamper
- I2-9 Plan and section views of downward spin pattern of grout holes
- I2-10 Plan and section views of upward spin pattern of grout holes
- I2-11 Example of calculation of an effective salt column permeability from the depth-dependent permeability at a point in time
- I2-12 Effective permeability of the compacted salt column using the 95% certainty line

**APPENDIX I2A
MATERIAL SPECIFICATION**

**SHAFT SEALING SYSTEM
COMPLIANCE SUBMITTAL DESIGN REPORT**

- I2A-1. Schematic of the WIPP shaft seal design
- I2A-2. Cumulative distribution function for SMC
- I2A-3. Sodium bentonite permeability versus density
- I2A-4. Cumulative frequency distribution for compacted bentonite
- I2A-5. Asphalt permeability cumulative frequency distribution function
- I2A-6. Fractional density of the consolidating salt column
- I2A-7. Permeability of consolidated crushed salt as a function of fractional density
- I2A-8. Compacted salt column permeability cumulative frequency distribution function at seal midpoint 100 years following closure

**APPENDIX I2B
SHAFT SEALING CONSTRUCTION PROCEDURES
SHAFT SEALING SYSTEM
COMPLIANCE SUBMITTAL DESIGN REPORT**

- I2B-1. Multi-deck stage illustrating dynamic compaction
- I2B-2. Multi-deck stage illustrating excavation for asphalt waterstop
- I2B-3. Typical fibercrete at top of asphalt
- I2B-4. Drop pattern for 6-m-diameter shaft using a 1.2-m-diameter tamper
- I2B-5. Plan and section views of downward spin pattern of grout holes
- I2B-6. Plan and section views of upward spin pattern of grout holes

**APPENDIX J1
ACTIVE INSTITUTIONAL CONTROLS DURING POST-CLOSURE**

- J1-1 Spatial View of WIPP Surface and Underground Facilities
- J1-2 Standard Waste Box and Seven-Pack Configuration
- J1-3 Typical Shaft Sealing System
- J1-4 Perimeter Fenceline and Roadway

**CHAPTER L
WIPP GROUNDWATER DETECTION MONITORING PROGRAM PLAN**

- L-1 General Location of the WIPP Facility
- L-2 WIPP Facility Boundaries Showing 16-Square-Mile Land Withdrawal Boundary
- L-3 Site Geologic Column
- L-4 Generalized Stratigraphic Cross Section above Bell Canyon Formation at the WIPP Site
- L-5 Schematic North-South Cross Section Through the North Delaware Basin
- L-6 Culebra Freshwater-Head Contour Surface

L-7	Total Dissolved Solids Distribution in the Culebra
L-8	WQSP Monitor Well Locations
L-9	WIPP DMP Monitor Well Locations and Potentiometric Surface of the Culebra Near the WIPP Site as of 12/96 (adjusted to equivalent freshwater head)
L-10	As-Built Configuration of Well WQSP-1
L-11	As-Built Configuration of Well WQSP-2
L-12	As-Built Configuration of Well WQSP-3
L-13	As-Built Configuration of Well WQSP-4
L-14	As-Built Configuration of Well WQSP-5
L-15	As-Built Configuration of Well WQSP-6
L-16	As-Built Configuration of Well WQSP-6A
L-17a	Example Chain-of-Custody Record
L-17b	Example Request for Analysis
L-18	Ground-water Surface Elevation Monitoring Locations

ADDENDUM L1 SITE CHARACTERIZATION

L1-1	WIPP Site Location in Southeastern New Mexico
L1-2	Major Geologic Events in Southeast New Mexico Region
L1-3	Site Geological Column
L1-4	Cross Section from Delaware Basin (S.E.) Through Marginal Reef Rocks to Back-Reef Facies
L1-5	Generalized Stratigraphic Cross-Section above Bell Canyon Formation at WIPP Site
L1-6	Salado Stratigraphy
L1-7	Rustler Stratigraphy
L1-8	Halite Margins in Rustler
L1-9	Isopach Map of the Entire Rustler
L1-10	Percentage of Natural Fractures in the Culebra Filled with Gypsum
L1-11	Log Character of the Rustler Showing Mudstone-Halite Lateral Relationships
L1-12	Isopach of the Dewey Lake
L1-13	Isopach of the Santa Rosa
L1-14	Physiographic Provinces and Sections
L1-15	Site Topographic Map
L1-16	Structural Provinces of the Permian Basin Region
L1-17	Loading and Unloading History Estimated for Base of Culebra
L1-18	Location of Main Stratigraphic Drillholes
L1-19	Seismic Time Structure of the Middle Castile Formation
L1-20	Fence Diagram Using DOE-2 and Adjacent Holes
L1-21	Isopach from the Top of the Vaca Triste to the Top of the Salado
L1-22	Isopach from the Base of MB 103 to the Top of the Salado
L1-23	Isopach from the Base of MB 123/124 to the Base of the Vaca Triste
L1-24	Structure Contour Map of Culebra Dolomite Base

L1-25	Drainage Pattern in the Vicinity of the WIPP Facility
L1-26	Borehole Location Map
L1-27	Schematic West-East Cross-Section through the North Delaware Basin
L1-28	Schematic North-South Cross-Section through the North Delaware Basin
L1-29	Outline of the Groundwater Basin Model Domain on a Topographic Map
L1-30	Transmissivities of the Culebra
L1-31	Hydraulic Heads in the Culebra
L1-32	Hydraulic Heads in the Magenta
L1-33	Interpreted Dewey Lake Water Table Surface
L1-34	Location of Shallow Investigative Wells
L1-35	WIPP Shallow Subsurface Water
L1-36	Brine Aquifer in Nash Draw
L1-37	Measure Water Levels and Estimated Freshwater Heads of the Los Medaños and Rustler-Salado Contact Zone
L1-38	Location of Reservoirs and Gauging Stations in the Pecos River Basin
L1-39	2007 CY – Active Mines and Inhabited Ranches within a 10-Mile Radius of the WIPP Facility
L1-40	2000 CY – Population within a 50-Mile Radius of the WIPP Facility
L1-41	2007 CY – Acres Planted in Edible Agriculture and Commercial Crops within a 50-Mile Radius of the WIPP Facility
L1-42	2007 CY – Maximum Yearly Cattle Density within a 50-Mile Radius of the WIPP Facility
L1-43	2007 CY – Natural Gas Pipelines within a 5-Mile Radius of the WIPP Facility
L1-44	Seismic Events Greater Than 3.0 Magnitude for the Period July 1926 to December 2005 Within 150 Miles of the WIPP Facility
L1-45	Regional Earthquake Epicenters Occurring After 1961

APPENDIX M1 CONTAINER STORAGE

M1-1	Waste Handling Building - CH TRU Mixed Waste Container Storage and Surge Areas
M1-1a	Waste Handling Building Plan (Ground Floor)
M1-2	Parking Area - Container Storage and Surge Areas
M1-3	Standard 55-Gallon Drum (Typical)
M1-4	Standard Waste Box
M1-5	Ten-Drum Overpack
M1-6	85-Gallon Drum
M1-7	Reserved
M1-8a	TRUPACT-II Shipping Container for CH Transuranic Mixed Waste (Schematic)
M1-8b	HalfPACT Shipping Container for CH Transuranic Mixed Waste (Schematic)
M1-9	Reserved
M1-10	Facility Pallet for Seven-Pack of Drums
M1-10a	Typical Containment Pallet

M1-11	Facility Transfer Vehicle, Facility Pallet, and Typical Pallet Stand
M1-12	TRUPACT-II Containers on Trailer
M1-13	WIPP Facility Surface and Underground CH Transuranic Mixed Waste Process Flow Diagram
M1-14	Reserved
M1-14a	RH Bay Ground Floor
M1-15	100-Gallon Drum
M1-16	Facility Canister Assembly
M1-16a	RH-TRU 72-B Canister Assembly
M1-17a	RH Bay, Cask Unloading Room, Hot Cell, Facility Cask Loading Room
M1-17b	RH Hot Cell Storage Area
M1-17c	RH Canister Transfer Cell Storage Area
M1-17d	RH Facility Cask Loading Room Storage Area
M1-18	RH-TRU 72-B Shipping Cask on Trailer
M1-19	CNS 10-160B Shipping Cask on Trailer
M1-20	RH-TRU 72-B Shipping Cask for RH Transuranic Waste (Schematic)
M1-21	CNS 10-160B Shipping Cask for RH Transuranic Waste (Schematic)
M1-22a	RH-TRU 72-B Cask Transfer Car
M1-22b	CNS 10-160B Cask Transfer Car
M1-23	RH Transuranic Waste Facility Cask
M1-24	RH Facility Cask Transfer Car (Side View)
M1-25	CNS 10-160B Drum Carriage
M1-26	Surface and Underground RH Transuranic Mixed Waste Process Flow Diagram for RH-TRU 72-B Shipping Cask
M1-27	Surface and Underground RH Transuranic Mixed Waste Process Flow Diagram for CNS 10-160B Shipping Cask
M1-28	Schematic of the RH Transuranic Mixed Waste Process for RH-TRU 72-B Shipping Cask
M1-29	Schematic of the RH Transuranic Mixed Waste Process for CNS 10-160B Shipping Cask
M1-30	RH Shielded Insert Assembly
M1-31	Transfer Cell Shuttle Car
M1-32	Facility Cask Rotating Device

APPENDIX M2 GEOLOGIC REPOSITORY

M2-1	Repository Horizon
M2-2	Spatial View of the Miscellaneous Unit and Waste Handling Facility
M2-3	Facility Pallet for Seven-Pack of Drums
M2-5	Typical Backfill Sacks Emplaced on Drum Stacks
M2-5a	Potential MgO Emplacement Configurations
M2-6	Waste Transfer Cage to Transporter
M2-7	Push-Pull Attachment to Forklift to Allow Handling of Waste Containers

M2-8	Typical RH and CH Transuranic Mixed Waste Container Disposal Configuration
M2-9	Underground Ventilation System Airflow
M2-11	Typical Room Barricade
M2-12	WIPP Facility Surface and Underground CH Transuranic Mixed Waste Process Flow Diagram
M2-13	Layout and Instrumentation - As of 1/96
M2-14	Facility Cask Transfer Car (Side View)
M2-15	Horizontal Emplacement and Retrieval Equipment
M2-16	RH TRU Waste Facility Cask Unloading from Waste Shaft Conveyance
M2-17	Facility Cask Installed on the Horizontal Emplacement and Retrieval Equipment
M2-18	Installing Shield Plug
M2-19	Shield Plug Supplemental Shielding Plate(s)
M2-20	Shielding Layers to Supplement RH Borehole Shield Plugs
M2-21	Shield Plug Configuration

**CHAPTER N
VOLATILE ORGANIC COMPOUND MONITORING PLAN**

N-1	Panel Area Flow
N-2	VOC Monitoring System Design
N-3	Disposal Room VOC Monitoring
N-4	VOC Sample Head Arrangement

**APPENDIX N1
HYDROGEN AND METHANE MONITORING PLAN**

N1-1	Typical Substantial Barrier and Bulkhead
N1-2	Typical Bulkhead
N1-3	Typical Hydrogen and Methane Monitoring System
N1-4	Typical Hydrogen and Methane Sampling Locations
N1-5	Logic Diagram for Evaluating Sample Line Loss

**ADDENDUM N1
300-YEAR PERFORMANCE DEMONSTRATION RE-EVALUATION**

1	Predicted Change in Repository Pressure Following Closure for the PABC and Original Performance Demonstrations
2	Predicted Cumulative Moles of Gas Generated Per Drum of Waste for the PABC and Original Performance Demonstrations
3	Predicted Cumulative Brine Inflow into a Closed Waste Panel for the PABC and Original Performance Demonstrations
4	Predicted Change in Panel Pore Volume Due to Creep Closure for the PABC and Original Performance Demonstrations

- 5 Predicted Average Brine Saturation in the Panel for the PABC and Original Performance Demonstrations

**LIST OF PHOTOGRAPHS
PART A APPLICATION**

- 4-1 Aerial Photograph of the Waste Isolation Pilot
- 4-2 Underground - Waste Disposal Room (Typical)
- 4-3 TRUDOCKs in CH Bay of the Waste Handling Building
- 4-4 CH TRU Waste Stored on Facility Pallets in the Waste Handling Building
- 4-5 Westward View of CH Bay of the Waste Handling Building
- 4-6 Loading Facility Pallet with CH Waste onto the Waste Conveyance – Waste Handling Building
- 4-7 RH Bay
- 4-8 Cask Unloading Room and Bridge Crane
- 4-9 Hot Cell
- 4-10 Transfer Cell
- 4-11 Facility Cask and Facility Cask Rotating Device