


APPENDIX D

SITE-SPECIFIC STORED RADIONUCLIDE INVENTORIES

CH Curies on a Site-by-Site^{1,2} Basis
(Decayed to the End of 1995)



Nuclide	ARCO	ARMY	ETEC	HANF	INEL	LBL
Ac225			2.23E-15	1.31E-01	1.52E+00	5.45E-06
Ac227		1.98E-15	4.09E-14	1.02E-04	3.86E-02	1.35E-19
Ac228			2.87E-18	5.60E-02	3.08E-01	1.69E-19
Ag109M						
Ag110				5.08E-10	3.55E-09	
Ag110M				3.82E-08	2.67E-07	
Am241			5.19E-01	4.73E+03	9.01E+04	9.17E-02
Am243				9.01E-02	3.79E-01	3.85E-02
Am245					1.12E-09	3.60E-14
At217			2.23E-15	1.31E-01	1.52E+00	5.45E-06
Ba137M				6.46E+02	5.71E+01	
Bi210	5.22E-15		2.05E-15	5.30E-06	2.70E-02	8.96E-03
Bi211		1.98E-15	4.09E-14	1.02E-04	3.87E-02	1.35E-19
Bi212			1.10E-18	5.18E-02	2.62E+01	8.59E-20
Bi213			2.23E-15	1.31E-01	1.52E+00	5.45E-06
Bi214	6.86E-13		4.56E-14	3.15E-05	4.80E-02	3.37E-02
Bk249					7.70E-05	2.48E-09
Bk250						8.68E-08

¹Argonne National Laboratory-East, Argonne National Laboratory-West, and Teledyne Brown Engineering are not included because no data were received. Data from Sandia National Laboratory-Albuquerque are reported under RH-TRU waste because although the final waste form is expected to be CH-TRU waste, the stored waste is remotely handled at the site.

²Data include undecayed curies from the RFETS residues from the following radioisotopes: 8,143 Ci (Pu238); 173,500 Ci (Pu239); 39,750 Ci (Pu240); 1,016,000 Ci (Pu241); and 108,500 Ci (Am241).

CH-TRU Curies on a Site-by-Site Basis (continued)

Nuclide	ARCO	ARMY	ETEC	HANF	INEL	LBL
C14				1.60E+00	1.66E-01	
Cd109						
Cd113M				1.25E-09	3.20E-08	
Ce144				4.42E-03	3.15E-02	
Cf249					1.02E-02	3.10E-03
Cf250						1.97E-04
Cf251						
Cf252				3.52E+01	2.19E-03	
Cm242					2.73E-08	
Cm243				1.52E-02		
Cm244				6.83E+01	4.93E+02	8.70E-02
Cm245				1.68E+01	9.09E-06	2.27E-06
Cm246					1.53E-03	4.83E-07
Cm247						
Cm248				7.82E-03	4.73E-07	
Co58					1.22E-14	
Co60					6.24E+01	
Cs134				2.45E-04	1.20E-03	
Cs135				1.91E-07	8.07E-06	
Cs137				6.83E+02	6.04E+01	
Es254						8.67E-08
Eu150					3.50E-05	

¹Argonne National Laboratory-East, Argonne National Laboratory-West, and Teledyne Brown Engineering are not included because no data were received. Data from Sandia National Laboratory-Albuquerque are reported under RH-TRU waste because although the final waste form is expected to be CH-TRU waste, the stored waste is remotely handled at the site.

²Data include undecayed curies from the RFETS residues from the following radioisotopes: 8,143 Ci (Pu238); 173,500 Ci (Pu239); 39,750 Ci (Pu240); 1,016,000 Ci (Pu241); and 108,500 Ci (Am241).

CH-TRU Curies on a Site-by-Site Basis (continued)

Nuclide	ARCO	ARMY	ETEC	HANF	INEL	LBL
Eu152				7.34E-07	1.62E-01	
Eu154				6.22E-05	6.43E-01	
Eu155				1.06E-03	3.83E-01	
Fe55					1.91E-05	
Fe59					3.38E-21	
Fr221			2.23E-15	1.31E-01	1.52E+00	5.45E-06
Fr223		2.73E-17	5.64E-16	1.41E-06	5.33E-04	1.86E-21
H3					8.01E-01	
I129						
Kr85						
Mn54					8.51E-04	
Nb95				1.80E-11	2.38E-09	
Nb95M				6.00E-14	7.95E-12	
Ni59						
Ni63					9.06E-05	
Np237			9.49E-07	2.72E-01	8.53E-01	6.32E-06
Np239				9.01E-02	3.79E-01	3.85E-02
Np240M				5.80E-10	3.50E-14	
Pa231		1.88E-13	6.73E-13	4.83E-04	1.33E-05	1.99E-18
Pa233			9.49E-07	2.72E-01	8.53E-01	6.32E-06
Pa234			6.06E-17	7.61E-03	1.50E-04	2.40E-14
Pa234M			4.66E-14	5.86E+00	1.16E-01	1.84E-11

¹Argonne National Laboratory-East, Argonne National Laboratory-West, and Teledyne Brown Engineering are not included because no data were received. Data from Sandia National Laboratory-Albuquerque are reported under RH-TRU waste because although the final waste form is expected to be CH-TRU waste, the stored waste is remotely handled at the site.

²Data include undecayed curies from the RFETS residues from the following radioisotopes: 8,143 Ci (Pu238); 173,500 Ci (Pu239); 39,750 Ci (Pu240); 1,016,000 Ci (Pu241); and 108,500 Ci (Am241).



CH-TRU Curies on a Site-by-Site Basis (continued)

Nuclide	ARCO	ARMY	ETEC	HANF	INEL	LBL
Pb209			2.23E-15	1.31E-01	1.52E+00	5.45E-06
Pb210	5.22E-15		2.05E-15	5.30E-06	2.70E-02	8.96E-03
Pb211		1.98E-15	4.09E-14	1.02E-04	3.87E-02	1.35E-19
Pb212			1.10E-18	5.18E-02	2.62E+01	8.59E-20
Pb214	6.86E-13		4.56E-14	3.15E-05	4.80E-02	3.37E-02
Pd107				2.82E-08	1.19E-06	
Pm147				4.78E-02	2.62E+00	
Po210	1.42E-15		2.05E-15	5.30E-06	2.70E-02	8.96E-03
Po211		5.53E-18	1.14E-16	2.87E-07	1.08E-04	3.78E-22
Po212			7.04E-19	3.32E-02	1.68E+01	5.50E-20
Po213	4.28E-15		2.19E-15	1.28E-01	1.49E+00	5.33E-06
Po214	6.86E-13		4.56E-14	3.15E-05	4.80E-02	3.37E-02
Po215		1.98E-15	4.09E-14	1.02E-04	3.87E-02	1.35E-19
Po216			1.10E-18	5.18E-02	2.62E+01	8.59E-20
Po218	6.86E-13	1.40E-11	4.56E-14	3.15E-05	4.80E-02	3.37E-02
Pr144				4.36E-03	3.12E-02	
Pu236					1.04E-02	
Pu238	3.70E+02		1.11E-01	8.05E+04	5.98E+04	2.32E-04
Pu239		1.80E+01	1.79E+00	2.63E+04	4.01E+04	8.45E-06
Pu240			6.12E-01	6.14E+03	9.84E+03	5.14E-03
Pu241			6.22E+00	3.78E+04	1.50E+05	4.48E-07
Pu242			5.00E-05	3.80E-01	9.45E-01	1.01E-02

¹Argonne National Laboratory-East, Argonne National Laboratory-West, and Teledyne Brown Engineering are not included because no data were received. Data from Sandia National Laboratory-Albuquerque are reported under RH-TRU waste because although the final waste form is expected to be CH-TRU waste, the stored waste is remotely handled at the site.

²Data include undecayed curies from the RFETS residues from the following radioisotopes: 8,143 Ci (Pu238); 173,500 Ci (Pu239); 39,750 Ci (Pu240); 1,016,000 Ci (Pu241); and 108,500 Ci (Am241).

CH-TRU Curies on a Site-by-Site Basis (continued)

Nuclide	ARCO	ARMY	ETEC	HANF	INEL	LBL
Pu243						
Pu244				5.80E-10	3.50E-14	
Ra223		1.98E-15	4.09E-14	1.02E-04	3.87E-02	1.35E-19
Ra224			1.10E-18	5.18E-02	2.62E+01	8.59E-20
Ra225			2.23E-15	1.31E-01	1.52E+00	5.45E-06
Ra226	6.86E-13		4.56E-14	3.15E-05	4.80E-02	3.37E-02
Ra228			2.87E-18	5.60E-02	3.08E-01	1.69E-19
Rh106				2.17E-03	1.12E-02	
Rn219		1.98E-15	4.09E-14	1.02E-04	3.87E-02	1.35E-19
Rn220			1.10E-18	5.18E-02	2.62E+01	8.59E-20
Rn222	6.86E-13		4.56E-14	3.15E-05	4.80E-02	3.37E-02
Ru106				2.17E-03	1.12E-02	
Sb125				5.91E-04	3.53E-03	
Sb126				5.13E-08	2.17E-06	
Sb126M				3.67E-07	1.55E-05	
Se79				1.66E-07	7.00E-06	
Sm151				6.14E-04	2.39E-02	
Sn119M				2.95E-07	2.10E-06	
Sn121M				1.20E-05	4.38E-04	
Sn126				3.67E-07	1.55E-05	
Sr90			2.00E-01	6.92E+02	1.96E+00	
Tc99				9.51E-06	2.16E-03	

¹Argonne National Laboratory-East, Argonne National Laboratory-West, and Teledyne Brown Engineering are not included because no data were received. Data from Sandia National Laboratory-Albuquerque are reported under RH-TRU waste because although the final waste form is expected to be CH-TRU waste, the stored waste is remotely handled at the site.

²Data include undecayed curies from the RFETS residues from the following radioisotopes: 8,143 Ci (Pu238); 173,500 Ci (Pu239); 39,750 Ci (Pu240); 1,016,000 Ci (Pu241); and 108,500 Ci (Am241).

CH-TRU Curies on a Site-by-Site Basis (continued)

Nuclide	ARCO	ARMY	ETEC	HANF	INEL	LBL
Te125M				1.44E-04	8.62E-04	
Te127				3.95E-09	1.02E-07	
Te127M				4.03E-09	1.04E-07	
Th227		1.95E-15	4.03E-14	1.01E-04	3.82E-02	1.33E-19
Th228			1.10E-18	5.18E-02	2.62E+01	8.59E-20
Th229			2.23E-15	1.31E-01	1.52E+00	5.75E-06
Th230	4.75E-09		5.25E-11	8.11E-03	2.08E-02	1.50E-13
Th231		1.77E-08	1.06E-08	1.71E+00	6.18E-02	3.32E-14
Th232			1.61E-17	6.71E-02	3.30E-01	5.33E-19
Th234			4.66E-14	5.86E+00	1.16E-01	1.84E-11
Tl207		1.97E-15	4.07E-14	1.02E-04	3.86E-02	1.34E-19
Tl208			3.95E-19	1.86E-02	9.42E+00	3.09E-20
Tl209			4.83E-17	2.82E-03	3.28E-02	1.18E-07
U232					2.53E+01	
U233			1.20E-11	8.00E+01	8.99E+02	4.81E-03
U234	1.05E-03		1.93E-06	5.37E+01	6.18E+00	4.73E-09
U235		1.77E-08	1.06E-08	1.71E+00	6.18E-02	3.32E-14
U236			1.09E-07	2.49E-03	5.27E-03	1.87E-09
U237			1.53E-04	9.27E-01	3.67E+00	1.10E-11
U238			4.66E-14	5.86E+00	1.16E-01	1.84E-11
U240				5.80E-10	3.50E-14	
Y90			2.00E-01	6.92E+02	1.96E+00	

¹Argonne National Laboratory-East, Argonne National Laboratory-West, and Teledyne Brown Engineering are not included because no data were received. Data from Sandia National Laboratory-Albuquerque are reported under RH-TRU waste because although the final waste form is expected to be CH-TRU waste, the stored waste is remotely handled at the site.

²Data include undecayed curies from the RFETS residues from the following radioisotopes: 8,143 Ci (Pu238); 173,500 Ci (Pu239); 39,750 Ci (Pu240); 1,016,000 Ci (Pu241); and 108,500 Ci (Am241).

CH-TRU Curies on a Site-by-Site Basis (continued)

Nuclide	ARCO	ARMY	ETEC	HANF	INEL	LBL
Zn65					1.51E-09	
Total by Site	3.70E+02	1.80E+01	9.65E+00	1.58E+05	3.52E+05	5.08E-01

Nuclide	LANL	LLNL	MOUND	MURR	NTS	ORNL
Ac225	8.06E-02	9.81E-13		1.59E-13	2.41E-03	2.07E-01
Ac227	2.31E-01	3.32E-10	2.99E-12	2.41E-14	2.10E-04	9.85E-03
Ac228	1.59E-03	1.59E-16			1.90E-16	7.11E-04
Ag109M	6.56E+00					
Ag110	2.87E-11	6.12E-17			5.55E-11	
Ag110M	3.06E-07				4.18E-09	
Am241	1.17E+04	1.44E+02		3.24E-01	2.84E+02	1.61E+03
Am243	3.83E+00	2.45E-02			1.22E+00	1.16E+01
Am245	1.95E-15				5.29E-14	1.49E-10
At217	8.06E-02	9.81E-13		1.59E-13	2.41E-03	2.07E-01
Ba137M	4.55E+01	1.57E-06			3.41E-01	2.20E+03
Bi210	2.80E-01	2.38E-13	5.20E-10		6.69E-02	1.26E+00
Bi211	2.32E-01	3.32E-10	2.99E-12	1.83E-17	2.09E-04	9.85E-03
Bi212	1.32E-03	6.13E-17			1.64E-02	2.83E-01
Bi213	8.06E-02	9.81E-13		1.59E-13	2.41E-03	2.07E-01
Bi214	9.04E-01	9.47E-12	4.46E-09	1.94E-22	2.49E-01	6.49E+00
Bk249	1.35E-10				3.65E-09	1.03E-05

¹Argonne National Laboratory-East, Argonne National Laboratory-West, and Teledyne Brown Engineering are not included because no data were received. Data from Sandia National Laboratory-Albuquerque are reported under RH-TRU waste because although the final waste form is expected to be CH-TRU waste, the stored waste is remotely handled at the site.

²Data include undecayed curies from the RFETS residues from the following radioisotopes: 8,143 Ci (Pu238); 173,500 Ci (Pu239); 39,750 Ci (Pu240); 1,016,000 Ci (Pu241); and 108,500 Ci (Am241).




CH-TRU Curies on a Site-by-Site Basis (continued)

Nuclide	LANL	LLNL	MOUND	MURR	NTS	ORNL
Bk250					4.11E-11	9.51E-13
C14	2.00E-07				2.50E-04	
Cd109	6.55E+00					
Cd113M	7.41E-07				6.50E-09	1.03E-08
Ce144	3.03E-04				7.88E-04	
Cf249	9.64E-04				1.14E-02	2.82E-02
Cf250					3.18E-01	1.49E-03
Cf251	1.58E-03					
Cf252					1.70E-02	1.60E-01
Cm242	3.42E-17	1.70E-04				1.39E-03
Cm243	1.11E+00					
Cm244	1.56E+02	6.54E+01			2.28E+02	1.06E+03
Cm245	1.60E-06				9.44E-06	3.35E-05
Cm246	4.01E-02	5.22E-04			6.14E-04	1.60E-05
Cm247	1.34E-09					
Cm248	2.53E-10				3.57E-06	2.55E-02
Co58	1.22E-13					
Co60	7.91E-06					1.84E-06
Cs134	4.24E-03				4.03E-04	
Cs135	2.05E-04				1.20E-06	
Cs137	4.81E+01	1.66E-06			3.60E-01	2.33E+03
Es254					4.11E-11	

¹Argonne National Laboratory-East, Argonne National Laboratory-West, and Teledyne Brown Engineering are not included because no data were received. Data from Sandia National Laboratory-Albuquerque are reported under RH-TRU waste because although the final waste form is expected to be CH-TRU waste, the stored waste is remotely handled at the site.

²Data include undecayed curies from the RFETS residues from the following radioisotopes: 8,143 Ci (Pu238); 173,500 Ci (Pu239); 39,750 Ci (Pu240); 1,016,000 Ci (Pu241); and 108,500 Ci (Am241).



CH-TRU Curies on a Site-by-Site Basis (continued)

Nuclide	LANL	LLNL	MOUND	MURR	NTS	ORNL
Eu150						
Eu152	4.18E-04	1.33E-06			1.06E+00	6.18E-04
Eu154	2.45E-02	5.25E-07			4.28E-01	
Eu155	2.41E-01				3.80E-03	
Fe55						
Fe59	1.35E-16					1.87E-07
Fr221	8.06E-02	9.81E-13		1.59E-13	2.41E-03	2.07E-01
Fr223	3.19E-03	4.58E-12	5.08E-14	2.52E-19	2.89E-06	1.36E-04
H3					6.46E-02	
I129						
Kr85					1.96E-01	
Mn54	5.48E-08					
Nb95	1.76E-11				1.51E-17	
Nb95M	5.89E-14				5.05E-20	
Ni59						
Ni63						1.09E-04
Np237	3.22E-02	4.71E-04		2.28E-04	5.78E-03	7.27E-01
Np239	3.83E+00	2.45E-02			1.22E+00	1.49E+01
Np240M	1.94E-07				9.99E-07	1.10E-09
Pa231	1.24E-03	2.72E-07	1.89E-11	8.97E-16	5.00E-04	3.14E-01
Pa233	3.22E-02	4.71E-04		2.28E-04	5.78E-03	7.32E-01
Pa234	3.07E-05	3.94E-05		1.51E-10	2.13E-07	5.53E-05

¹Argonne National Laboratory-East, Argonne National Laboratory-West, and Teledyne Brown Engineering are not included because no data were received. Data from Sandia National Laboratory-Albuquerque are reported under RH-TRU waste because although the final waste form is expected to be CH-TRU waste, the stored waste is remotely handled at the site.

²Data include undecayed curies from the RFETS residues from the following radioisotopes: 8,143 Ci (Pu238); 173,500 Ci (Pu239); 39,750 Ci (Pu240); 1,016,000 Ci (Pu241); and 108,500 Ci (Am241).

CH-TRU Curies on a Site-by-Site Basis (continued)

Nuclide	LANL	LLNL	MOUND	MURR	NTS	ORNL
Pa234M	2.38E-02	3.03E-02		1.16E-07	3.46E-04	4.26E-02
Pb209	8.06E-02	9.81E-13		1.59E-13	2.41E-03	2.07E-01
Pb210	2.80E-01	2.38E-13	5.20E-10		6.69E-02	1.26E+00
Pb211	2.32E-01	3.32E-10	2.99E-12	1.83E-17	2.09E-04	9.85E-03
Pb212	6.16E-03	6.13E-17			1.64E-02	2.83E-01
Pb214	9.04E-01	9.47E-12	4.46E-09	1.94E-22	2.49E-01	6.49E+00
Pd107	3.03E-05				1.78E-07	
Pm147	2.00E+00				1.05E-01	1.94E-02
Po210	2.80E-01	1.97E-13	5.20E-10		6.69E-02	1.26E+00
Po211	6.50E-04	9.28E-13	8.38E-15	5.12E-20	5.86E-07	2.76E-05
Po212	8.48E-04	3.93E-17			1.05E-02	1.82E-01
Po213	7.89E-02	9.60E-13		1.55E-13	2.36E-03	2.02E-01
Po214	9.04E-01	9.47E-12	4.46E-09	1.93E-22	2.49E-01	6.49E+00
Po215	2.32E-01	3.32E-10	2.99E-12	1.83E-17	2.09E-04	9.85E-03
Po216	1.32E-03	6.13E-17			1.64E-02	2.83E-01
Po218	9.05E-01	9.47E-12	4.47E-09	1.94E-22	2.50E-01	6.49E+00
Pr144	3.00E-04				7.79E-04	
Pu236	5.37E-17					
Pu238	1.15E+05	7.65E+01	4.97E+02		3.15E+04	3.50E+03
Pu239	7.91E+04	1.64E+02	6.28E+00	2.46E-02	2.76E+03	2.72E+03
Pu240	1.01E+02	6.44E+01			2.66E+01	9.48E+02
Pu241	1.62E+03	1.63E+03		6.32E-03	2.40E+02	4.79E+04

¹Argonne National Laboratory-East, Argonne National Laboratory-West, and Teledyne Brown Engineering are not included because no data were received. Data from Sandia National Laboratory-Albuquerque are reported under RH-TRU waste because although the final waste form is expected to be CH-TRU waste, the stored waste is remotely handled at the site.

²Data include undecayed curies from the RFETS residues from the following radioisotopes: 8,143 Ci (Pu238); 173,500 Ci (Pu239); 39,750 Ci (Pu240); 1,016,000 Ci (Pu241); and 108,500 Ci (Am241).

CH-TRU Curies on a Site-by-Site Basis (continued)

Nuclide	LANL	LLNL	MOUND	MURR	NTS	ORNL
Pu242	4.85E+02	2.02E-02			8.70E-02	2.37E-01
Pu243	1.34E-09					
Pu244	1.94E-07				1.00E-06	1.10E-09
Ra223	2.32E-01	2.32E-01	2.99E-12	1.83E-17	2.09E-04	9.85E-03
Ra224	1.32E-03	6.13E-17			1.71E-02	2.83E-01
Ra225	8.06E-02	9.81E-13		1.59E-13	2.41E-03	2.07E-01
Ra226	9.05E-01	3.99E-08	4.47E-09	1.94E-22	2.50E-01	6.54E+00
Ra228	1.59E-03	1.59E-16			1.90E-16	9.92E-04
Rh106	9.97E-04				8.74E-04	
Rn219	2.32E-01	3.32E-10	2.99E-12	1.83E-17	2.09E-04	9.85E-03
Rn220	1.32E-03	6.13E-17			1.64E-02	2.83E-01
Rn222	9.05E-01	9.47E-12	4.47E-09	1.94E-22	2.50E-01	6.49E+00
Ru106	9.97E-04				8.74E-04	
Sb125	4.67E-02				1.37E-03	
Sb126	5.52E-05				3.23E-07	
Sb126M	3.94E-04				2.31E-06	
Se79	1.78E-04				1.04E-06	
Sm151	6.02E-01				3.75E-03	
Sn119M	1.66E-08				2.97E-08	
Sn121M	1.09E-02				7.17E-05	
Sn126	3.99E-04				2.31E-06	
Sr90	4.44E+01				3.10E-01	1.48E+03

M ¹Argonne National Laboratory-East, Argonne National Laboratory-West, and Teledyne Brown Engineering are not included because no data were received. Data from Sandia National Laboratory-Albuquerque are reported under RH-TRU waste because although the final waste form is expected to be CH-TRU waste, the stored waste is remotely handled at the site.

²Data include undecayed curies from the RFETS residues from the following radioisotopes: 8,143 Ci (Pu238); 173,500 Ci (Pu239); 39,750 Ci (Pu240); 1,016,000 Ci (Pu241); and 108,500 Ci (Am241).

CH-TRU Curies on a Site-by-Site Basis (continued)

Nuclide	LANL	LLNL	MOUND	MURR	NTS	ORNL
Tc99	1.02E-02				5.99E-05	1.78E+01
Te125M	1.14E-02				3.33E-04	
Te127	7.45E-10				2.29E-12	
Te127M	7.60E-10				2.34E-12	
Th227	2.29E-01	7.39E-08	2.95E-12	1.80E-17	2.06E-04	9.72E-03
Th228	1.32E-03	6.13E-17			1.64E-02	2.83E-01
Th229	8.06E-02	9.81E-13		1.59E-13	2.41E-03	2.07E-01
Th230	4.90E-04	3.06E-08	1.86E-06	1.34E-18	9.98E-07	2.45E-04
Th231	5.27E-01	1.76E-03	1.05E-07	3.75E-08	6.15E-05	1.45E-02
Th232	2.29E-03	9.37E-16			8.19E-16	8.57E-04
Th234	2.36E-02	3.03E-02		1.16E-07	3.18E-04	4.26E-02
Tl207	2.31E-01	3.31E-10	3.20E-12	1.82E-17	2.09E-04	9.82E-03
Tl208	4.76E-04	2.20E-17			5.89E-03	1.02E-01
Tl209	1.74E-03	2.12E-14		3.43E-15	5.20E-05	4.47E-03
U232	1.67E-03				1.65E-02	2.90E-01
U233	4.46E+01	5.95E-09		1.78E-09	1.81E+00	1.77E+02
U234	6.06E+00	3.29E-03	2.47E-02	2.98E-13	1.26E-02	1.57E+01
U235	5.27E-01	5.93E-04	1.05E-07	4.44E-11	1.17E-02	1.33E-02
U236	3.21E-04	7.62E-06			4.20E-06	3.40E-04
U237	3.98E-02	4.00E-02		1.55E-07	5.88E-03	1.18E+00
U238	2.36E-02	3.03E-02		1.16E-07	1.64E-04	4.26E-02
U240	1.94E-07				9.99E-07	1.10E-09

¹Argonne National Laboratory-East, Argonne National Laboratory-West, and Teledyne Brown Engineering are not included because no data were received. Data from Sandia National Laboratory-
Albuquerque are reported under RH-TRU waste because although the final waste form is expected to
be CH-TRU waste, the stored waste is remotely handled at the site.

²Data include undecayed curies from the RFETS residues from the following radioisotopes: 8,143 Ci
(Pu238); 173,500 Ci (Pu239); 39,750 Ci (Pu240); 1,016,000 Ci (Pu241); and 108,500 Ci (Am241).


CH-TRU Curies on a Site-by-Site Basis (continued)

Nuclide	LANL	LLNL	MOUND	MURR	NTS	ORNL
Y90	4.44E+01				3.10E-01	1.48E+03
Zn65						3.85E-09
Total by Site	2.08E+05	2.15E+03	5.03E+02	3.55E-01	3.50E+04	6.55E+04

Nuclide	PAD	PANT	RFETS	SRS	Total Curies
Ac225	4.02E-07		3.55E-11	1.31E-05	1.94E+00
Ac227	1.27E-12	4.83E-17	1.58E-10	3.70E-07	2.80E-01
Ac228			1.49E-14	1.01E-02	3.76E-01
Ag109M					6.56E+00
Ag110					4.14E-09
Ag110M					6.16E-07
Am241			1.19E+05	3.76E+03	2.31E+05 ²
Am243				7.55E-01	1.80E+01
Am245					1.27E-09
At217	4.02E-07		3.55E-11	1.31E-05	1.94E+00
Ba137M				7.11E+00	2.96E+03
Bi210			4.54E-12	1.11E-06	1.65E+00
Bi211	1.27E-12	4.83E-17	1.58E-10	3.70E-07	2.81E-01
Bi212			4.98E-15	9.20E-03	2.66E+01
Bi213	4.02E-07		3.55E-11	1.31E-05	1.94E+00
Bi214			9.77E-11	7.30E-06	7.72E+00

¹Argonne National Laboratory-East, Argonne National Laboratory-West, and Teledyne Brown Engineering are not included because no data were received. Data from Sandia National Laboratory-Albuquerque are reported under RH-TRU waste because although the final waste form is expected to be CH-TRU waste, the stored waste is remotely handled at the site.

²Data include undecayed curies from the RFETS residues from the following radioisotopes: 8,143 Ci (Pu238); 173,500 Ci (Pu239); 39,750 Ci (Pu240); 1,016,000 Ci (Pu241); and 108,500 Ci (Am241).



CH-TRU Curies on a Site-by-Site Basis (continued)

Nuclide	PAD	PANT	RFETS	SRS	Total Curies
Bk249					8.73E-05
Bk250					8.68E-08
C14					1.77E+00
Cd109					6.55E+00
Cd113M					7.91E-07
Ce144				8.72E-13	3.70E-02
Cf249					5.39E-02
Cf250					3.20E-01
Cf251					1.58E-03
Cf252				3.62E-01	3.58E+01
Cm242					1.56E-03
Cm243					1.12E+00
Cm244				7.46E+02	2.82E+03
Cm245					1.68E+01
Cm246					4.28E-02
Cm247					1.34E-09
Cm248				1.61E-04	3.34E-02
Co58					1.34E-13
Co60				3.56E-01	6.28E+01
Cs134				3.19E-06	6.09E-03
Cs135					2.15E-04
Cs137				7.51E+00	3.12E+03



¹Argonne National Laboratory-East, Argonne National Laboratory-West, and Teledyne Brown Engineering are not included because no data were received. Data from Sandia National Laboratory-Albuquerque are reported under RH-TRU waste because although the final waste form is expected to be CH-TRU waste, the stored waste is remotely handled at the site.

²Data include undecayed curies from the RFETS residues from the following radioisotopes: 8,143 Ci (Pu238); 173,500 Ci (Pu239); 39,750 Ci (Pu240); 1,016,000 Ci (Pu241); and 108,500 Ci (Am241).

CH-TRU Curies on a Site-by-Site Basis (continued)

Nuclide	PAD	PANT	RFETS	SRS	Total Curies
Es254					8.68E-08
Eu150					3.50E-05
Eu152					1.22E+00
Eu154				2.84E-04	1.10E+00
Eu155				5.28E+01	5.34E+01
Fe55					1.91E-05
Fe59					1.87E-07
Fr221	4.02E-07		3.55E-11	1.31E-05	1.94E+00
Fr223	1.75E-14	6.67E-19	2.19E-12	5.11E-09	3.87E-03
H3					8.65E-01
I129				1.17E-07	1.17E-07
Kr85					1.96E-01
Mn54				1.00E-10	8.51E-04
Nb95					2.41E-09
Nb95M					8.06E-12
Ni59				1.25E-03	1.25E-03
Ni63				1.52E-01	1.52E-01
Np237	5.50E+01		1.70E-02	8.59E+00	6.55E+01
Np239				7.55E-01	2.12E+01
Np240M				1.59E-11	1.19E-06
Pa231	2.09E-11	2.31E-15	2.70E-09	1.68E-06	3.16E-01
Pa233	5.50E+01		1.70E-02	8.59E+00	6.55E+01

¹Argonne National Laboratory-East, Argonne National Laboratory-West, and Teledyne Brown Engineering are not included because no data were received. Data from Sandia National Laboratory-Albuquerque are reported under RH-TRU waste because although the final waste form is expected to be CH-TRU waste, the stored waste is remotely handled at the site.

²Data include undecayed curies from the RFETS residues from the following radioisotopes: 8,143 Ci (Pu238); 173,500 Ci (Pu239); 39,750 Ci (Pu240); 1,016,000 Ci (Pu241); and 108,500 Ci (Am241).



CH-TRU Curies on a Site-by-Site Basis (continued)

Nuclide	PAD	PANT	RFETS	SRS	Total Curies
Pa234			1.94E-17	7.42E-06	7.90E-03
Pa234M			1.49E-14	5.71E-03	6.08E+00
Pb209	4.02E-07		3.55E-11	1.31E-05	1.94E+00
Pb210			4.54E-12	1.11E-06	1.65E+00
Pb211	1.27E-12	4.83E-17	1.58E-10	3.70E-07	2.81E-01
Pb212			4.98E-15	9.20E-03	2.66E+01
Pb214			9.77E-11	7.30E-06	7.72E+00
Pd107					3.17E-05
Pm147				1.24E-05	4.80E+00
Po210			4.50E-12	1.11E-06	1.65E+00
Po211	3.55E-15	1.35E-19	4.43E-13	1.04E-09	7.86E-04
Po212			3.19E-15	5.89E-03	1.70E+01
Po213	3.93E-07		3.47E-11	1.28E-05	1.90E+00
Po214			9.77E-11	7.30E-06	7.72E+00
Po215	4.03E-12	4.83E-17	1.58E-10	3.70E-07	2.81E-01
Po216			4.98E-15	9.20E-03	2.66E+01
Po218			9.77E-11	7.30E-06	7.73E+00
Pr144				8.62E-13	3.66E-02
Pu236					1.04E-02
Pu238			8.49E+03	4.87E+05	7.86E+05 ²
Pu239	5.57E+01	5.55E-02	1.83E+05	9.30E+03	3.44E+05 ²
Pu240			4.70E+04	2.29E+03	6.63E+04 ²

¹Argonne National Laboratory-East, Argonne National Laboratory-West, and Teledyne Brown Engineering are not included because no data were received. Data from Sandia National Laboratory-Albuquerque are reported under RH-TRU waste because although the final waste form is expected to be CH-TRU waste, the stored waste is remotely handled at the site.

²Data include undecayed curies from the RFETS residues from the following radioisotopes: 8,143 Ci (Pu238); 173,500 Ci (Pu239); 39,750 Ci (Pu240); 1,016,000 Ci (Pu241); and 108,500 Ci (Am241).



CH-TRU Curies on a Site-by-Site Basis (continued)

Nuclide	PAD	PANT	RFETS	SRS	Total Curies
Pu241			1.07E+06	6.20E+04	1.37E+06 ²
Pu242			9.63E-05	3.75E-01	4.87E+02
Pu243					1.34E-09
Pu244				2.09E-11	1.20E-06
Ra223	1.27E-12	4.83E-17	1.58E-10	3.70E-07	5.13E-01
Ra224			4.98E-15	9.20E-03	2.66E+01
Ra225	4.02E-07	4.02E-07	3.55E-11	1.31E-05	1.94E+00
Ra226			9.77E-11	7.30E-06	7.77E+00
Ra228			1.49E-14	1.01E-02	3.76E-01
Rh106				1.84E-10	1.52E-02
Rn219	1.27E-12	4.83E-17	1.58E-10	3.70E-07	2.81E-01
Rn220			4.98E-15	9.20E-03	2.66E+01
Rn222			9.77E-11	7.30E-06	7.73E+00
Ru106				1.84E-10	1.52E-02
Sb125				2.61E-05	5.22E-02
Sb126				2.41E-08	5.78E-05
Sb126M				1.72E-07	4.12E-04
Se79					1.86E-04
Sm151				3.13E-04	6.31E-01
Sn119M					2.44E-06
Sn121M					1.14E-02
Sn126				1.72E-07	4.17E-04



¹Argonne National Laboratory-East, Argonne National Laboratory-West, and Teledyne Brown Engineering are not included because no data were received. Data from Sandia National Laboratory-Albuquerque are reported under RH-TRU waste because although the final waste form is expected to be CH-TRU waste, the stored waste is remotely handled at the site.


²Data include undecayed curies from the RFETS residues from the following radioisotopes: 8,143 Ci (Pu238); 173,500 Ci (Pu239); 39,750 Ci (Pu240); 1,016,000 Ci (Pu241); and 108,500 Ci (Am241).

CH-TRU Curies on a Site-by-Site Basis (continued)

Nuclide	PAD	PANT	RFETS	SRS	Total Curies
Sr90				6.98E+00	2.22E+03
Tc99				4.50E-06	1.78E+01
Te125M				6.37E-06	1.27E-02
Te127					1.07E-07
Te127M					1.09E-07
Th227	1.25E-12	4.77E-17	1.56E-10	3.65E-07	2.77E-01
Th228			4.98E-15	9.20E-03	2.66E+01
Th229	4.02E-07		3.55E-11	1.31E-05	1.94E+00
Th230			1.16E-07	2.35E-03	3.20E-02
Th231	3.29E-07	1.09E-10	4.78E-05	5.84E-03	2.32E+00
Th232			1.02E-13	2.13E-02	4.22E-01
Th234			1.49E-14	5.71E-03	6.08E+00
Tl207	1.27E-12	4.82E-17	1.58E-10	3.69E-07	2.80E-01
Tl208			1.79E-15	3.31E-03	9.55E+00
Tl209	8.67E-09		7.66E-13	2.83E-07	4.19E-02
U232				8.94E-02	2.57E+01
U233	1.42E-03		1.29E+01	3.75E+00	1.22E+03
U234			4.81E-03	2.56E+01	1.07E+02
U235	3.29E-07	1.09E-10	4.78E-05	5.84E-03	2.33E+00
U236			9.17E-04	4.78E-02	5.72E-02
U237			1.28E+00	1.52E+00	8.66E+00
U238			1.49E-14	5.71E-03	6.08E+00

¹Argonne National Laboratory-East, Argonne National Laboratory-West, and Teledyne Brown Engineering are not included because no data were received. Data from Sandia National Laboratory-Albuquerque are reported under RH-TRU waste because although the final waste form is expected to be CH-TRU waste, the stored waste is remotely handled at the site.

²Data include undecayed curies from the RFETS residues from the following radioisotopes: 8,143 Ci (Pu238); 173,500 Ci (Pu239); 39,750 Ci (Pu240); 1,016,000 Ci (Pu241); and 108,500 Ci (Am241).



CH-TRU Curies on a Site-by-Site Basis (continued)

Nuclide	PAD	PANT	RFETS	SRS	Total Curies
U240				1.59E-11	1.19E-06
Y90				6.98E+00	2.22E+03
Zn65					5.36E-09
Total by Site	1.66E+02	5.55E-02	1.43E+06	5.65E+05	2.82E+06 ²

ABBREVIATIONS

ARCO	ARCO Medical Center, Pennsylvania
ARMY	US Army Materiel Command
ETEC	Energy Technology Engineering Center
HANF	Hanford
INEL	Idaho National Engineering Laboratory
KAPL	Knolls Atomic Power Laboratory
LANL	Los Alamos National Laboratory
LBL	Lawrence Berkeley Laboratory
LLNL	Lawrence Livermore National Laboratory
Mound	Mound Facility
MURR	University of Missouri
NTS	Nevada Test Site
ORNL	Oak Ridge National Laboratory
PAD	Paducah
PANT	Pantex
RFETS	Rocky Flats Environmental Technology Site
SRS	Savannah River Site



¹Argonne National Laboratory-East, Argonne National Laboratory-West, and Teledyne Brown Engineering are not included because no data were received. Data from Sandia National Laboratory-Albuquerque are reported under RH-TRU waste because although the final waste form is expected to be CH-TRU waste, the stored waste is remotely handled at the site.

²Data include undecayed curies from the RFETS residues from the following radioisotopes: 8,143 Ci (Pu238); 173,500 Ci (Pu239); 39,750 Ci (Pu240); 1,016,000 Ci (Pu241); and 108,500 Ci (Am241).

**RH Curies on a Site-by-Site¹ Basis
(Decayed to the End of 1995)**

Nuclide	ETEC	HANF	INEL	KAPL	LANL
Ac225	3.07E-18	5.45E-04	1.76E-04	4.11E-18	
Ac227	1.05E-16	1.70E-05	2.61E-07	3.82E-09	4.60E-07
Ac228		1.60E-03	3.87E-05		
Ag110			4.14E-09		9.88E-10
Ag110M			3.11E-07		7.43E-08
Am241	5.85E-02	1.93E+02	4.68E+01	5.07E-02	
Am243			6.91E-04		
Am245					
At217	3.07E-18	5.45E-04	1.76E-04	4.11E-18	
Ba137M	2.48E+00	6.61E+03	1.80E+03	5.40E+01	1.28E+02
Bi210		2.33E-07	6.06E-12	1.87E-16	5.61E-17
Bi211	1.05E-16	1.70E-05	2.61E-07	1.35E-18	4.60E-07
Bi212		1.49E-03	2.65E-05		
Bi213	3.07E-18	5.45E-04	1.76E-04	4.11E-18	
Bi214		1.16E-06	3.26E-10	1.24E-14	7.25E-15
Bk249					
C14			4.00E-02		
Cd113M			1.15E-07		8.88E-07
Ce144			3.98E+00	1.56E+00	1.60E-02
Cf249					
Cf250					
Cf252					
Cm243			1.45E-02		

¹Argonne National Laboratory-West is not included in this table because no radionuclide data were received from the site.

RH-TRU Curies on a Site-by-Site Basis (continued)

Nuclide	ETEC	HANF	INEL	KAPL	LANL
Cm244			9.63E-02		
Cm245					
Cm246					
Cm248					
Co58			4.37E-11		
Co60	2.30E+00	3.36E+02	1.30E+01	2.75E-01	4.17E+00
Cr51			1.08E-05		
Cs134			5.38E+01	4.73E+00	2.42E-02
Cs135			2.36E-05		1.91E-04
Cs137	2.62E+00	6.98E+03	1.90E+03	5.71E+01	1.35E+02
Eu152			1.14E-01		5.09E-04
Eu154			7.90E-01	1.40E+00	3.50E-02
Eu155			3.35E-01	1.81E-01	1.77E+00
Fe55			5.96E-01		
Fr221	3.07E-18	5.45E-04	1.76E-04	4.11E-18	
Fr223	1.45E-18	2.35E-07	3.60E-09	1.86E-20	6.34E-09
H3			1.43E-01		
Kr 85			5.95E+00		
Mn54			8.30E-02		
Nb95			5.28E-12		2.14E-14
Nb95M			1.76E-14		7.15E-17
Ni63			3.50E+00		
Np237	2.26E-08	1.58E-03	8.10E-04	2.25E-08	
Np239			6.91E-04		

¹Argonne National Laboratory-West is not included in this table because no radionuclide data were received from the site.



RH-TRU Curies on a Site-by-Site Basis (continued)

Nuclide	ETEC	HANF	INEL	KAPL	LANL
Np240M					
Pa231	6.68E-15	6.21E-05	2.24E-06	7.51E-17	2.39E-06
Pa233	2.26E-08	1.58E-03	8.10E-04	2.25E-08	
Pa234		1.33E-05	1.80E-06	4.48E-18	2.60E-08
Pa234M		1.03E-02	1.38E-03	3.45E-15	2.00E-05
Pb209	3.07E-18	5.45E-04	1.76E-04	4.11E-18	
Pb210		2.33E-07	6.06E-12	1.87E-16	5.61E-17
Pb211	1.05E-16	1.70E-05	2.61E-07	1.35E-18	4.60E-07
Pb212		1.49E-03	2.65E-05		
Pb214		1.16E-06	3.26E-10	1.24E-14	7.25E-15
Pd107			3.49E-06		2.83E-05
Pm147			1.49E+01	4.34E+00	1.13E+01
Po210		2.33E-07	4.06E-12	8.21E-17	1.60E-17
Po211	2.94E-19	4.77E-08	7.30E-10	3.78E-21	1.29E-09
Po212		9.54E-04	1.70E-05		
Po213	3.00E-18	5.33E-04	1.72E-04	4.02E-18	
Po214		1.16E-06	3.26E-10	1.24E-14	7.25E-15
Po215	1.05E-16	1.70E-05	2.61E-07	1.35E-18	4.60E-07
Po216		1.49E-03	2.65E-05		
Po218		1.16E-06	3.26E-10	1.24E-14	7.25E-15
Pr144			3.93E+00	1.54E+00	1.58E-02
Pu238		4.67E+01	6.09E+01	9.27E-01	3.90E+00
Pu239	4.00E-01	3.35E+02	2.98E+01	3.30E-03	9.28E+01
Pu240		1.67E+02	2.48E+01	3.10E-03	

¹Argonne National Laboratory-West is not included in this table because no radionuclide data were received from the site.



RH-TRU Curies on a Site-by-Site Basis (continued)

Nuclide	ETEC	HANF	INEL	KAPL	LANL
Pu241		4.67E+03	4.81E+01	7.77E-01	
Pu242		4.92E-03	1.01E-03	1.56E-05	
Pu244					
Ra223	1.05E-16	1.70E-05	2.61E-07	1.35E-18	4.60E-07
Ra224		1.49E-03	2.65E-05		
Ra225	3.07E-18	5.45E-04	1.76E-04	4.11E-18	
Ra226		1.16E-06	3.26E-10	1.24E-14	7.25E-15
Ra228		1.60E-03	3.87E-05	2.37E-17	
Rh106			6.65E-02	4.98E-01	3.38E-01
Rn219	1.05E-16	1.70E-05	2.61E-07	1.35E-18	4.60E-07
Rn220		1.49E-03	2.65E-05		
Rn222		1.16E-06	3.26E-10	1.24E-14	7.25E-15
Ru106			6.65E-02	4.98E-01	3.38E-01
Sb125			9.81E-01	5.33E-01	2.79E+00
Sb126			6.35E-06		5.15E-05
Sb126M			4.53E-05		3.68E-04
Se79			2.05E-05		1.66E-04
Sm151			7.53E-02		5.82E-01
Sn119M			2.33E-06		5.20E-07
Sn121M			1.36E-03		1.09E-02
Sn126			4.53E-05		3.68E-04
Sr89			6.64E-04		
Sr90	2.62E+00	6.46E+03	1.70E+03	5.70E+01	1.24E+02
Ta182			1.49E-07		

¹Argonne National Laboratory-West is not included in this table because no radionuclide data were received from the site.



RH-TRU Curies on a Site-by-Site Basis (continued)

Nuclide	ETEC	HANF	INEL	KAPL	LANL
Tc99			1.18E-03		9.54E-03
Te125M			2.39E-01	1.30E-01	6.88E-01
Te127			5.79E-09		1.39E-10
Te127M			5.91E-09		1.42E-10
Th227	1.03E-16	1.68E-05	2.57E-07	1.33E-18	4.53E-07
Th228		1.49E-03	2.65E-05		
Th229	3.07E-18	5.45E-04	1.76E-04	4.11E-18	
Th230		2.42E-04	1.37E-06	4.36E-11	5.01E-11
Th231	4.73E-10	1.46E-01	6.42E-03	4.53E-12	8.78E-03
Th232		1.95E-03	7.51E-05	4.68E-21	
Th234		1.03E-02	1.38E-03	3.45E-15	2.00E-05
Tl207	1.05E-16	1.70E-05	2.60E-07	1.35E-18	4.58E-07
Tl208		5.35E-04	9.52E-06		
Tl209	6.63E-20	1.18E-05	3.80E-06	8.88E-20	
U232					
U233	6.55E-14	4.15E-01	3.91E-01	7.62E-14	
U234		1.29E+00	1.51E-01	4.98E-06	1.11E-05
U235	4.73E-10	1.46E-01	5.38E-03	4.53E-12	8.78E-03
U236		8.63E-05	3.52E-06	1.24E-10	
U237		1.14E-01	1.18E-03	1.91E-05	
U238		1.03E-02	3.57E-03	3.45E-15	2.00E-05
U240					
Y90	2.62E+00	6.46E+03	1.70E+03	5.70E+01	1.24E+02
Zr93			2.65E-04		3.40E-03

¹Argonne National Laboratory-West is not included in this table because no radionuclide data were received from the site.




RH-TRU Curies on a Site-by-Site Basis (continued)

Nuclide	ETEC	HANF	INEL	KAPL	LANL
Zr95			2.38E-12		9.64E-15
Total by Site	1.31E+01	3.23E+04	7.40E+03	2.43E+02	6.30E+02

Nuclide	NTS	ORNL	SRS	SNL/NM	WVDP	Total Curies
Ac225	8.80E-14	5.40E-02	2.96E-15	6.40E-18	7.44E-15	5.47E-02
Ac227	9.88E-13	2.81E-03	4.20E-13	2.77E-20		2.82E-03
Ac228	3.63E-18	8.70E-02				8.87E-02
Ag110						5.12E-09
Ag110M						3.85E-07
Am241	4.85E-01	2.42E+02	6.79E-02	1.02E-02	5.39E-01	4.83E+02
Am243		9.98E-05	1.60E-05			8.07E-04
Am245		8.61E-16				8.61E-16
At217	8.80E-14	5.40E-02	2.96E-15	6.40E-18	5.77E-03	6.05E-02
Ba137M		9.25E+03	6.49E+00		5.06E+01	1.79E+04
Bi210		9.40E-11	1.24E-16		1.51E-12	2.33E-07
Bi211	9.88E-13	2.81E-03	4.20E-13	4.20E-13		2.82E-03
Bi212	2.08E-18	1.68E+00				1.68E+00
Bi213	8.80E-14	5.40E-02	2.96E-15	6.40E-18	7.44E-15	5.47E-02
Bi214		6.25E-10	1.64E-14	7.34E-20	2.38E-11	1.16E-06
Bk249		5.94E-11				5.94E-11
C14		6.11E+00				6.15E+00
Cd113M						1.00E-06

¹Argonne National Laboratory-West is not included in this table because no radionuclide data were received from the site.



RH-TRU Curies on a Site-by-Site Basis (continued)

Nuclide	NTS	ORNL	SRS	SNL/NM	WVDP	Total Curies
Ce144		1.20E+01				1.75E+01
Cf249		1.34E-02				1.34E-02
Cf250	1.81E-01					1.81E-01
Cf252		3.86E+00				3.86E+00
Cm243		1.48E+02				1.48E+02
Cm244	1.55E+02	9.44E+02	4.68E+00			1.10E+03
Cm245		4.39E-06				4.39E-06
Cm246	3.95E-04					3.95E-04
Cm248		6.13E-04				6.13E-04
Co58						4.37E-11
Co60		6.14E+02				9.70E+02
Cr 51						1.08E-05
Cs134		9.57E+00				6.81E+01
Cs135						2.15E-04
Cs137		9.78E+03	6.86E+00		5.35E+01	1.89E+04
Eu152		3.66E+03				3.66E+03
Eu154		1.77E+03				1.78E+03
Eu155		3.51E+02				3.53E+02
Fe55						5.96E-01
Fr221	8.80E-14	5.40E-02	2.96E-15	6.40E-18	7.44E-15	5.47E-02
Fr223	1.36E-14	3.87E-05	5.80E-15	3.82E-22		3.90E-05
H3		7.71E-02	1.39E-02			2.34E-01
Kr85						5.95E+00
Mn54						8.30E-02

¹Argonne National Laboratory-West is not included in this table because no radionuclide data were received from the site.



RH-TRU Curies on a Site-by-Site Basis (continued)

Nuclide	NTS	ORNL	SRS	SNL/NM	WVDP	Total Curies
Nb95		3.15E-03				3.15E-03
Nb95M		2.46E-06				2.46E-06
Ni63						3.50E+00
Np237	3.19E-06	5.07E-04	1.43E-05	1.00E-08	1.49E-06	2.92E-03
Np239		9.98E-05	1.60E-05			8.07E-04
Np240M		6.62E-11				6.62E-11
Pa231	6.39E-12	2.07E-02	2.67E-11	5.21E-19		2.08E-02
Pa233	3.19E-06	5.07E-04	1.75E-05	1.00E-08	1.49E-06	2.92E-03
Pa234	3.31E-21	4.38E-03				4.39E-03
Pa234M	2.54E-18	3.37E+00				3.38E+00
Pb209	8.80E-14	5.40E-02	2.96E-15	6.40E-18	7.44E-15	5.47E-02
Pb210		9.40E-11	1.24E-16		1.51E-12	2.33E-07
Pb211	9.88E-13	2.81E-03	4.20E-13	2.46E-12		2.82E-03
Pb212	2.08E-18	1.68E+00				1.68E+00
Pb214		6.25E-10	1.64E-14	7.34E-20	2.38E-11	1.16E-06
Pd107						3.18E-05
Pm147	1.53E+00		1.34E+00			3.34E+01
Po210		9.40E-11	3.40E-17		1.51E-12	2.33E-07
Po211	2.76E-15	7.86E-06	1.18E-15	5.38E-15		7.91E-06
Po212	1.34E-18	1.07E+00				1.07E+00
Po213	8.61E-14	5.28E-02	2.89E-15	6.26E-18	7.28E-15	5.35E-02
Po214	1.91E-15	6.31E-10	1.64E-14	7.34E-20	2.38E-11	1.16E-06
Po215	9.88E-13	2.81E-03	4.20E-13	2.77E-20		2.82E-03
Po216	2.08E-18	1.68E+00		1.01E-02		1.69E+00

¹Argonne National Laboratory-West is not included in this table because no radionuclide data were received from the site.




RH-TRU Curies on a Site-by-Site Basis (continued)

Nuclide	NTS	ORNL	SRS	SNL/NM	WVDP	Total Curies
Po218		6.25E-10	1.64E-14	7.34E-20	2.38E-11	1.16E-06
Pr144		1.51E+01				2.05E+01
Pu238		2.81E+01	8.83E+00	4.92E-06	1.98E+01	1.69E+02
Pu239	2.36E+00	9.85E+01	1.06E-02	2.00E-06		5.59E+02
Pu240	2.54E-01	1.07E+00	5.06E-04			1.93E+02
Pu241	6.60E-05	3.97E-07				4.71E+03
Pu242	4.27E-09					5.95E-03
Pu244		6.63E-11				6.63E-11
Ra223	9.88E-13	2.81E-03	4.20E-13	2.77E-20		2.82E-03
Ra224	2.08E-18	1.68E+00				1.68E+00
Ra225	8.80E-14	5.40E-02	2.96E-15	6.40E-18	7.44E-15	5.47E-02
Ra226		6.25E-10	1.64E-14	7.34E-20	2.38E-11	1.16E-06
Ra228	3.63E-18	8.70E-02				8.87E-02
Rh106		3.21E+01				3.30E+01
Rn219	9.88E-13	2.81E-03	4.20E-13	2.77E-20		2.82E-03
Rn220	2.08E-18	1.68E+00				1.68E+00
Rn222		6.25E-10	1.64E-14	7.34E-20	2.38E-11	1.16E-06
Ru106		3.21E+01				3.30E+01
Sb125						4.30E+00
Sb126						5.78E-05
Sb126M						4.13E-04
Se79						1.86E-04
Sm151						6.58E-01
Sn119M						2.85E-06

¹Argonne National Laboratory-West is not included in this table because no radionuclide data were received from the site.





DOE/CAO-95-1121
December 1995

RH-TRU Curies on a Site-by-Site Basis (continued)

Nuclide	NTS	ORNL	SRS	SNL/NM	WVDP	Total Curies
Sn121M						1.23E-02
Sn126						4.13E-04
Sr89						6.64E-04
Sr90		3.52E+04	6.85E+00		1.96E+01	4.36E+04
Ta182						1.49E-07
Tc99	1.48E-04					1.09E-02
Te125M						1.06E+00
Te127						5.93E-09
Te127M						6.05E-09
Th227	9.74E-13	2.77E-03	4.14E-13	2.73E-20		2.79E-03
Th228	2.08E-18	1.68E+00				1.68E+00
Th229	8.80E-14	5.40E-02	2.96E-15	6.40E-18	7.44E-15	5.47E-02
Th230		1.98E-07	1.13E-10	2.54E-16	1.92E-08	2.43E-04
Th231	3.71E-08	1.86E+02	1.26E-06	9.85E-15		1.86E+02
Th232	1.24E-17	9.89E-02	1.24E-22			1.01E-01
Th234	2.54E-18	3.37E+00				3.38E+00
Tl207	9.85E-13	2.80E-03	4.19E-13	2.76E-20		2.82E-03
Tl208	7.49E-19	6.02E-01				6.02E-01
Tl209	1.90E-15	1.17E-03	6.39E-17	1.38E-19	1.61E-16	1.18E-03
U232		1.76E+00				1.76E+00
U233	1.40E-10	5.73E+01	6.26E-11	6.66E-14	2.76E-11	5.81E+01
U234	2.02E-23	2.02E-03	2.51E-05	2.81E-11	4.94E-04	1.45E+00
U235	3.71E-08	1.86E+02	1.26E-06	9.85E-15		1.86E+02
U236	5.24E-08	2.32E-07	7.54E-12			9.01E-05

¹Argonne National Laboratory-West is not included in this table because no radionuclide data were received from the site.



RH-TRU Curies on a Site-by-Site Basis (continued)

Nuclide	NTS	ORNL	SRS	SNL/NM	WVDP	Total Curies
U237	1.62E-09	9.74E-12				1.16E-01
U238	2.54E-18	3.37E+00				3.38E+00
U240		6.62E-11				6.62E-11
Y90		3.52E+04	6.85E+00		1.96E+01	4.36E+04
Zr93						3.67E-03
Zr95		3.31E-04				3.31E-04
Total by Site	1.60E+02	9.79E+04	4.20E+01	2.03E-02	1.64E+02	1.39E+05

ABBREVIATIONS

ETEC Energy Technology Engineering Center
HANF Hanford
INEL Idaho National Engineering Laboratory
KAPL Knolls Atomic Power Laboratory
LANL Los Alamos National Laboratory
NTS Nevada Test Site
ORNL Oak Ridge National Laboratory
SRS Savannah River Site
SNL/NM Sandia National Laboratory-Albuquerque
WVDP West Valley Demonstration Plant

¹Argonne National Laboratory-West is not included in this table because no radionuclide data were received from the site.